

INDEX

© 2006 International Association of Plumbing and Mechanical Officials. All rights reserved.

The copyright in this index is separate and distinct from the copyright in the document that it indexes. The licensing provisions set forth for the document are not applicable to this index. This index may not be reproduced in whole or in part by any means without the express written permission of IAPMO.

- A -

- Abandoned cesspools, grease interceptors, septic tanks, and seepage pits 722.0, Appendix K
- Absorption area, capacity of Table K-4, Appendix K
- Access panels 203.0, 404.2, 414.1
- Accessible, definition 203.0
- Accessibility of:
 - Backwater valves 710.0, 1006.0
 - Chemical waste system 811.0
 - Cleanouts 707.0, 719.0
 - Fixtures for inspection, repairs, and cleaning 407.0
 - Floor drain traps 1006.0
 - Gas meters 1209.6
 - Grease traps or interceptors 1009.0
 - Industrial interceptors and separators 1009.0
 - Receptors 804.0
 - Regulator and relief valves 608.0
 - Septic tanks Appendix K
 - Shutoff and control valves 605.0, 1211.9
 - Slip joints 404.2
 - Sump and receiving tanks 810.0
 - Valves, gas 1211.9
 - Valves, water 605.0
 - Water heaters 505.0
- Acrylonitrile-butadiene-styrene (ABS) 203.0, 701.0, 707.1, 903.0
- Additions 101.4.1
- Additives, packing, prohibited 705.1.5
- Advance notice for inspections 103.5.4.1
- Airbreak:
 - Definition 203.0
 - Required 801.1
- Airgap:
 - Definition 203.0
 - Required 603.3.5, 801.1, 806.0, 807.4
- Air intakes, vent termination near 906.0
- Air tank, for sumps 710.0
- Air tests:
 - Gas piping system 1214.0
 - Water piping system 103.5.3.3
- Alterations and repairs:
 - Deviations allowed 101.4.1.1.1, 301.1.4
 - Gas piping 1211.0
- Alternate materials 301.0
- Anchors and hangers see Supports, 221.0
- Appliance:
 - Connectors 1212.0
 - Gas, demand requirements 1216.0, Table 12-1
 - Indirect waste type 806.0-808.0
- Application for permit 103.2
- Approval required:
 - Appliances, fixtures 301.0, 406.0, 505.0, 508.0, 610.0
 - Backflow preventers 603.0
 - Ballcocks 603.4.2
 - Cesspool Appendix K
 - Chemical waste system 811.0
 - Combination waste and vent system 910.0, Appendix B
 - Completed plumbing work 103.5.1
 - Devices 603.1
 - Flue, vents 510.2
 - Grease trap 1011.0
 - Indirect waste receptors 804.0
 - Industrial interceptors and separators 1009.0
 - Materials, specifications, standards 301.0, 707.0
 - Plans 101.3
 - Seepage pit Appendix K
 - Septic tank and disposal system Appendix K
 - Special fixtures 406.0
 - Vacuum breakers 603.0, 603.2.2
 - Water heaters, gas 505.0
 - Water heaters, oil 506.0
- Approved, general definition 203.0
- Approved testing agency 203.0
- Area Drain, definition 203.0
- Asbestos cement pipe joint 705.1.4
- Aspirator, definition 203.0
- Aspirators, protection 603.4.9
- Attachment, vertical piping 314.0
- Authority Having Jurisdiction 203.0
- Authority to:
 - Disconnect gas 1207.0
 - Render gas service 1206.0
- Automatic:
 - Clothes washer stand pipe 804.0
 - Flushing tanks 410.2
 - Flush valves 410.1&3
 - Priming device, for floor drains 1007.0
 - Siphon, septic tank Appendix K
- Auto wash racks 1011.0

- B -

- Backfilling 315.0
- Backflow 204.0, 603.0, 1002.0
- Backflow connection 204.0, 603.0
- Backflow preventer see Cross-Connections, Back-Siphonage, 204.0, 205.0
- Backing for fixtures 404.4
- Back-pressure backflow 204.0, 603.0
- Back-siphonage see Cross-Connections, Backflow Preventer, 204.0, 205.0
- Back-siphonage of traps, protection 1002.0
- Back-to-back fixtures 704.0
- Backwater valve 204.0, 710.0
- Ballcocks, approval required 603.4.2
- Baptistries 406.1
- Bathtub, prohibited type 405.0
- Bell and spigot joints 705.1
- Bell traps, prohibited 1004.0
- Benching of trenches 315.0, 720.0
- Blow off condensers 810.0
- Boiler blowoff:
 - Definition 204.0
 - Prohibited discharge 810.0

2007 CALIFORNIA PLUMBING CODE

Bolts, noncorrosive 407.4
 Bowl wax or gaskets 316.3
 Branch, definition 204.0
 Branch, fixture, definition 204.0
 Branch, horizontal, definition 204.0
 Branch vent, definition 204.0
 Brass connections, ground joint 705.3.3
 Brass pipe 701.0, 604.0, 903.0, 1209.5.2.3
 Brazing or welding joints 310.2, 316.1.7
 Btu rating, gas appliances 1209.4.2
 Building, definition 204.0
 Building drain (sanitary)
 Definition 204.0
 Size of 703.0
 Building drain (storm), definition 204.0
 Buildings over sewer 101.4.1.1.2
 Building sewer Chapter 7, Part II
 Cleanouts 719.0
 Combined, definition 204.0
 Damage to 306.0
 Definition 204.0
 Distance from building and below ground 313.0, 720.0
 Grade and support of 718.0
 Location of 308.0, 313.0, 718.0, 721.0, Table 7-7
 Material of 715.0
 Must be on same lot as buildings 308.0
 Required 305.0, 713.0
 Sanitary, definition 204.0
 Size of 717.0
 Storm, definition 204.0
 Testing of 723.0
 Water pipe in trench 720.0
 Building sewers and drains, existing 101.4.1.1.2
 Building subdrain, definition 204.0
 Building supply, definition 204.0
 Burned lead joints 705.1.3
 Burred ends 310.3, 609.1, 701.2.1, 903.4, 1209.5.5
 Bushings, solder 701.4.2, Table 7-2

- C -

California General Code Provisions Chapter 1
 Capacity of:
 Disposal field Appendix K
 Seepage pits Appendix K
 Water closet tanks 402.0
 Cast-iron soil pipe and fittings
 Joints and connections 705.2.2
 Support of 314.0
 Caulked joints 705.1.1
 Caulking, waterproofing 407.0
 Caulking ferrules 701.4, 705.3.3, Table 7-1
 Cement mortar joints, prohibited 705.1.2
 Certificate of Final Approval 103.5.6.3, 1205.0
 Certification by:
 Backflow assembly testers 205.0, 603.1
 Medical gas certifiers 1328.1.1
 Medical gas installers 1311.3
 Medical gas systems 1311.2
 Pipe welder 225.0
 Cesspool: Appendix K
 Abandoned 722.0
 Connections to sewer prohibited 714.3
 Definition 205.0
 Distance from lot line, building, surface Table K-1
 Must be on same lot as building 308.0
 Change in direction of drainage piping 706.0

Change in direction of gas piping 1211.5
 Check valves:
 In gas systems 1211.12.6
 In water systems 608.3
 Chemical toilet, prohibited 405.3
 Chemical waste 205.0, 811.0
 Clarifier 205.0, 1009.0
 Clay, vitrified 701.0
 Joints and connections 705.2.1
 Cleanout plugs or caps 707.1- 3, 707.13, 707.14,
 Cleanouts 707.0, 719.0
 Clearance for:
 Water heaters 505.3.1, 505.3.2
 Water heater vents 510.0
 Clear water waste, definition 205.0
 Clinic sink, definition 205.0
 Closet bends, prohibited type 311.0
 Maximum length 1002.2
 Closet rings 316.3, 316.3.2, 704.0, 704.4
 Closet screw bolts 704.4.5
 Clothes washer stand pipe 804.0
 Code:
 Definition 205.0
 Validity of 103.8
Collection Centers and Facilities (AGR) 601.7, 725.0, 1010.2
 Combination fixture 1001.0
 Combination waste and vent system 205.0, 910.0, Appendix B
 Combustible material, definition 502.6
 Combustion air, required 507.0
*Commissaries Serving Mobile Food
 Preparation Units (DHS)* Definition 205.0, 412.10
 Common 205.0, 905.0
 Common vent, gas 510.6.4
 Compartments for:
 Water heaters 505.0
 Compression joints 316.1.5
 Concealed slip joints 404.2
 Concealing of work prohibited before inspection 103.5.1.1,
 103.5.1.3, 1204.0
 Condensers and sumps 810.0
 Control, shutoff valves 605.0, 1211.9, 1212.4
 Connection:
 At septic tank Appendix K
 Indirect waste piping 803.0
 To plumbing system, required 304.0
 To sewer, required 305.0, 713.0
 Connector, gas 1212.0
 Connector, vent 510.10, 510.11
 Construction, existing 101.4.1.3
 Contamination 205.0, Table 6-2
 Continuous vent, definition 205.0
 Continuous waste:
 Definition 205.0
 Materials 404.3
 Multiple fixtures 1001.0
 Cooling units:
 Drains 801.0
 Potable water waste pipes 808.0
 Cooling water, connection permitted 808.0
 Copper and lead pans 411.8
 Copper pipe or tubing:
 Connection to screwed pipe 316.2.1
 Fittings for 604.0, 701.0, 903.0, 1209.5.8.4
 Forming 609.1
 Joints and connections 606.2.1
 Location and use of 604.0, 701.1.4, 811.1, 903.0

INDEX

Marking of 604.3
 Quality and weight of material 604.2, 701.1.4
 Support of 314.0
 Corrections, inspection 103.5.6.1-2
 Corrosion, protection from 313.5, 609.3, 1211.1.3
Cosmetology (CA) 412.8
Cosmetology Establishments (CA) 412.0, 601.5
 Cover plate 707.9, 710.10
Covered Multifamily Dwelling, definition (HCD) 205.0
 CPVC—Chlorinated poly (vinyl chloride) 205.0, 604.1,
 Critical level 205.0, 603.4.5
 Cross-connections see Backflow, Back-Siphonage
 Approval of preventive devices 601.0-603.0
 Backflow preventers 602.0-603.0
 Control 601.0-603.0
 Critical level 603.4.5
 Definition 205.0
 Prohibited 601.0-603.0
 Vacuum breakers 603.2.2, 603.2.5, 603.2.6
 Cross-linked polyethylene (PEX), definition 218.0
 Cutting of structural members 313.2

- D -

Damage to drainage and sewer systems 306.0, 714.0
 Dangerous or insanitary plumbing 101.5.2
 Defective material, gas 1214.0
 Defective systems, testing of 103.5.5.1
 Definition of terms Chapter 2, 502.0, 1203.0
 Demand, gas appliance 1209.4.2
Department, definition (HCD) 206.0
 Department Having Jurisdiction, definition 206.0
 Detrimental wastes 307.0, 1009.0
 Developed length:
 Definition 206.0
 Trap arm 1002.0, Table 10-1
 Diameter, definition 206.0
 Dielectric insulator 508.1
Dielectric Unions (DSA, HCD, OSHPD) 316.2.4
 Direct connection of water piping to sewer 602.0-602.2,
 805.0, 807.1, 808.0
 Direct vent water heater 502.7, 505.1
 Direction, change of 706.0-707.0, 719.0
 Discharge capacity, fixture 702.0
 Dishwasher connection, domestic 807.4
 Disposal fields for septic tanks Appendix K,
 Table K-1
 Disposal of:
 Food waste 404.4, 714.4, 1001.3, 1014.1.3
 Liquid waste 303.0
 Distance of trap from vent 1002.2, Table 10-1
 Distribution boxes, disposal fields Appendix K
*Domestic Hot-Water Distribution
 Systems (OSHPD)* 612.0, Table 6-9
 Domestic sewage, definition 206.0
 Doors, shower stalls 411.6
 Double traps, prohibited 1004.0
 Dosing tanks Appendix K
 Downspout, definition 206.0
 Drain:
 Building, definition 204.0
 Fixture, definition 208.0
 Floor (OSHPD) 311.10, 411.0, 1006.0
 House, definition 210.0
 Sub-drains (showers) 411.8
 Drainage:
 And Plumbing, General (AGR) 726.0, 1010.4

Below curb and main sewer level 710.0
 By gravity required 709.0
 Change in direction see Change in direction, drainage
 Connection to sump 710.0
 Connection to sewer or private
 disposal system 305.0, 713.0
 Damage to 306.0, 714.0
 Defective 103.5.5.1
 Durham or recessed screwed fittings 701.2, 701.2.1
 Fittings, material 311.8, 701.2, 707.0
 Grade or fall 708.0, 718.0
 Indirect wastes chapter 8
 Length between trap and vent 1002.2, Table 10-1
 Material of 301.0, 701.0, 811.0
Piping (OSHPD) 311.9
 Protection of 313.0
 Sizes of, minimum 703.0
 Steam and hot water 810.0
 Support 314.0, 718.0
 Waste and vent Table 7-5
 Drilling, improper notching 313.11
 Drinking fountains .. 405.1, (DHS, HCD, OSHPD) 406.5, 809.0
 Drum traps, vented 1004.0
 Durham system, definition 206.0

- E -

Earthquake-actuated Gas Shutoff Valve (DSA) .. 1203.10, 1211.18
 Easements for sewers 308.1, 721.2
 Effective opening, definition 207.0
 Ejectors 710.0
Emergency Sanitary Drainage (OSHPD) 727.0
Enforcing Agency, definition (HCD) 207.0
 Example, illustrating use of gas tables 1217.0
 Excavations 315.0, 1204.0
 Exceptions:
 Connection to sewer 713.6
 Independent systems 312.0
 Tests 103.5.3.3
 Vent size Table 7-5, 904.0
 Water piping 610.13, 720.0
 Excessive water pressure 608.2
 Existing work 101.4.1.3, 207.0, 301.1.4
 Expansion joints 705.3.2
 Expansion of pipe, provision for 313.2

- F -

Fall of sewers 718.0
 Faucets 601.0, 601.3
 Fees 103.3-5, Table 1-1
 Ferrules, caulking 701.4, 705.3.3, Table 7-1
 Fill, for building sewers 718.0
 Final inspection, certificate 103.5.6.3, 1205.0
 Fittings:
 Cleanout 707.0, Table 7-6
 Drainage 701.2
 Gas piping 1209.5.4, 1209.5.8, 1209.5.9
 Inlet, for fixture connections 704.1
 Material of 604.0, 710.4, 1209.5
 Prohibited 311.0, 604.10, 903.3, 1209.5
 Screwed 311.8
 Threaded 311.8
 Water piping 604.0
 Fixture:
 Branch, definition 208.0
 Connections 704.0
 Drain, definition 208.0

2007 CALIFORNIA PLUMBING CODE

Flanged connection 316.3
 Supply 208.0, 601.1, 610.0
 Unit 208.0, 702.0
 Unit flow rate 610.3, 702.0
 Fixtures see Plumbing Fixtures
 Flagpoling of vents 906.3
 Flammable Vapor or Fumes 208.0
 Flanges 316.1–3, 704.4
 Flared joints 606.1.1, 705.3.3
 Flashing 313.8, 510.6.1, 906.5
 Flood level 208.0, 807.4
 Flood-level rim 208.0, 603.3.5
 Flooded, definition 208.0
 Floor drains 411.0
 Backwater valve required 1006.0
 Trap location and type 411.0, 1006.0
 Water supply 601.0
 Water trap supplies (primers) 1007.0
 Floor flanges see Flanges
 Floors, under shower compartments 411.0
 Flow rates, in fixture units 610.3, 702.0
 Flue collar 502.8
 Flush tanks 208.0, 601.0
 Flush valves, definition 208.0
 Flushometer tank 208.0, 603.4.3
 Flushometer valve 208.0, 603.4.1, 610.10, Tables 6-5 & 6-7
 Flux, solder 316.1.3
Food Establishment, definition (DHS) 208.0
 Food-handling equipment 801.2
 Food waste disposal unit 404.4, 714.4, 1014.1.3
 Freezing, protection of pipes 313.6, 609.1

- G -

Gang or group showers, definition 209.0
 Garbage grinder see Food Waste Disposal Unit
 Food waste disposer 1014.1.3, 404.4
 Gas Chapter 12
 Appliance connectors 1203.1, 1212.1
 Appliance demand 1209.4.2, Table 12-1
 Authority to disconnect 1207.0
 Authority to render service 1206.0
 Capping or plugging outlets required 1207.3
 Connectors 1212.1
 Definition 1203.0
 Demand, appliance Table 12-1, 1209.4.2
 Disconnecting appliances 1207.0
 General 1202.0
 Hourly volume, rating 1216.2
 Inspection 103.5, 1204.0
 Installation of 1202.0, 1211.0
 Leaks 1214.0
 Liquefied Petroleum 1213.0
 Location of meters and access thereto 1209.6
 Material of 1209.0
 Meters 1209.6
 Meters, location 1209.6
 Piping, definition 1203.3
 Piping size 1216.0, 1217.0, Table 12-7 to Table 12-41
 Piping system, definition 1203.4
 Plans required 101.3
 Service piping, definition 1203.8
 Test 1214.0
 Temporary use of 1208.0
 Underground piping 1211.1
 Utility supplying 1203.6, 1205.0
 Gas piping:
 Access to meter 1209.6.2
 Defects, cracks, splits, prohibited 310.0

Definition 1203.0
 Inspection and testing 1204.0, 1214.0
 Installation 1211.2
 Material 1209.5
 Required gas supply 1216.0
 Size 1216.0, 1217.0
 Supporting fixtures 1211.2.6, Table 12-3
 Unions 1211.3.2(4)
 Gas water heater; see definition 502.15
 Approval requirements 501.0
 Clearances 505.3
 Combustion air required 507.0
 Draft hoods 510.12
 Inspections 504.0
 Oil burning or other 506.0
 Permits required 503.0
 Pressure-relief valves 608.0
 Prohibited locations 505.1
 Protection 505.0, 506.0, 510.0
 Sealed combustion 502.7, 510.2.5
 Vent required 510.2.1
 Gas water heater vent:
 Approved type required 510.6
 Area of 510.6.3
 Common vent 510.10.4
 Connector 510.10
 Damper prohibited 510.15
 Definitions 502.0
 Draft hoods 510.12
 Engineered system 510.7.5.1
 Existing masonry chimneys 510.5.4
 Hood, cap or cowl 510.6.2
 Inspections 504.0
 Location and support 510.6.5, 510.7.6
 Location of draft hood and connectors 510.12.5
 Material 510.10.2
 Mechanical draft systems 510.3.4
 Protection and support 510.6.5
 Required 510.2.1
 Size of 511.0
 Termination 510.6.2
 Grade:
 Building sewer 718.0
 Definition 209.0
 Horizontal drainage 708.0
 Gravity drainage required 709.0
 Gravity supply tanks 607.0
 Gray water systems Chapter 16
Graywater systems (DWR) Appendix G
 Grease interceptors Chapter 10
 Definition 209.0
 Design and construction Chapter 10
 Where required 1009.0–1014.0
 Grease traps:
 Construction and design 1014.0
 Definition 209.0
 Sizes Table 10-2
 Ground joint connections 705.3.3
 Grounding 604.8

- H -

Handwashing Fixture, definition (OSHDP) 210.0
 Hangers see Supports
 Harmful waste see Waste, detrimental and harmful
 Health and safety 101.2, 101.5.2
 High hazard 210.0, Table 6-1
 Horizontal branch 210.0, 703.0

INDEX

- Horizontal pipe, definition 210.0
- Horizontal-to-horizontal drainage fittings 706.0
- Horizontal-to-vertical drainage fittings 706.0
- Horizontal vent pipes Table 7-5, 904.0
- Horse Meat and Pet Food Establishments (AGR)* . . . 601.9, 1010.3
- Hose connections 603.2.3, 1212.0
- Hot-mopped shower pans see Shower pans
- Hot water boiler Table 14-1
- Hot water pipe sizing 610.0
- House drain see Building sewer
- House sewer see Building sewer
- I -
- Identification:
- Copper tubing 604.3
- Gas piping 1209.6.5, 1209.7.7
- Piping, fittings, traps, and fixtures 301.1.2, 1003.1
- Required 301.0
- Water lines, nonpotable 601.2
- Increases 316.4, 317.0
- Independent system of sewers 312.0
- Indirect waste:
- Appliances 807.0
- Condensers and sumps 810.2
- Cooling water 808.0
- Drinking fountains 809.0
- Food-handling equipment 801.2
- Sterilizing equipment 801.5, 806.0
- Indirect waste piping:
- Approval required 802.0
- Cleanouts 803.0
- Connections 801.1, 805.0
- Definition 211.0
- Hot water 810.0
- Maximum length 803.0
- Required 801.0
- Size of 803.0
- Steam and hot water 810.0
- Vents 803.0
- Indirect waste receptors:
- Approval required 802.0
- For clothes washers 804.0
- Materials 802.0
- Prohibited location 804.1
- Required water supply 601.0, 1007.0
- Size of 804.1
- Individual vent 211.0, Table 7-5, 1014.0
- Industrial interceptors and separators 1009.0-1012.0
- Industrial wastes 211.0, 307.0
- Approval required 811.1, 1009.2
- Disposal 811.0
- Materials 811.2, 1009.2
- Pretreatment 811.1
- Inlet fittings for fixture connections 704.2
- Insanitary:
- Construction 101.4.1.3
- Definition 211.0
- Inspection and testing:
- Abandoned sewers, cesspools 722.0, K 11
- Advance notice for 103.5.4.1, 1204.0
- Building sewer 723.0
- Certificate 103.5.6.3, 1205.0
- Concealment of work, prohibited
 before inspection 103.5.1.1, 103.5.1.3, 1204.0
- Disposal fields Appendix K
- Final 103.5.6.3, 504.2, 1204.3.2
- Flues and vents 504.0
- Gas piping, rough and final 1204.3
- Labor and material for 103.5.4.2
- Water heaters 504.0
- Water piping 103.5.1.1
- Inspector see Authority Having Jurisdiction
- Installation of:
- Building sewer: 715.0, 717.0, 718.0
- Cleanouts 707.0, 719.0, 803.0, Table 7-6
- Devices to prevent cross-connections 602.0, 603.0
- Drainage piping system Chapter 7
- Fixtures 407.0
- Floor drains and shower stalls 411.0
- Gas piping systems 1211.0
- Overflows 403.0
- Urinals 402.3, 405.2, 407.0, 409.0, 410.0
- Vents Chapter 9
- Water piping system 609.0
- Insulator, dielectric 508.1
- Intake, air, vent termination near 906.2
- Integral traps 1001.1, Table 7-3
- Intercepting hoppers or sink see Receptors
- Interceptors:
- Abandoned 1014.3.7
- Auto wash rack 1011.0
- Cleaning required 1009.6
- Cleanouts, location 707.8
- Definition 209.0
- Design 1014.3.3
- Effluent sampling 1014.3.5.1
- Grease 1009.0-1015.0
- Industrial 1009.0
- Location 1009.5, 1014.3.4
- Maintenance 101.4.1.2, 1009.6
- Packing establishments 1010.0
- Required 1009.1
- Sizing 1014.2.2, 1014.3.6, 1015.4
- Slaughterhouse 1010.0, 1014.2.2
- Vent 902.0
- Waste discharge requirements 1014.1
- Intermixing of metals prohibited 311.6, 508.1, 604.1
- Invert, definition 211.0
- Iron pipe size (IPS) pipe 302.0
- Island fixture, venting 909.0
- J -
- Joints and connections:
- Additives prohibited 705.1.5
- Brazed 212.0, 316.1.7, 609.3.2
- Cast iron 705.1, 705.2
- Cement mortar, prohibited 705.1.2
- Compounds, thread lubricants 316.1.1
- Compression 316.1.5, 606.2.1
- Copper to iron 311.6, 316.2.1
- Copper tube 316.2.1, 606.2.1
- Earthenware to metal 316.3.1
- Elastomeric gasketed 705.1.7
- Expansion 705.3.2
- Fixture 316.3, 407.0
- Flexible 316.1.5
- Floor-mounted 316.3, 704.0
- Gas and watertight 103.5.3.5
- Gas piping 1209.5

2007 CALIFORNIA PLUMBING CODE

Ground joint unions 705.3.3
 Hubless cast iron 705.1.9
 Increasers and reducers 317.0
 Lead 316.1.2, 705.1, 705.2.4
 Mechanical 606.1.2
 Molded rubber 705.1.6
 Prohibited fittings and practices 311.0, 316.4, 317.0
 Rubber ring 705.1.7
 Screwed 316.1.1
 Shield coupling 705.1.8
 Slip 404.2, 705.3.1, 1003.2
 Soldered or sweat 212.0, 316.1.3
 Solvent cement 316.1.6
 Special 316.2
 Threaded 316.1.1
 Tightness 103.5.3.5
 Tubing 316.1.3, 316.2.1, 606.2.1, 1209.5
 Union 316.2.2, 609.5, 1211.3.2
 Vitrified clay 705.2.1
 Welded 225.0, 705.1.3, 1211.3.2
 Wiped 316.1.2
 Jurisdiction, Department Having, definition 206.0

- K -

Kitchen sinks, prohibited types 405.3

- L -

Labeled, definition 214.0
 Labor for tests 103.5.4.2
 Laboratories, chemical 811.0
 Laundry tubs 1003.1
 Lavatories 413.1
 Lavatories in sets, definition 214.0
 Lawn sprinklers 603.4.6
 Lead joints see Joints, Lead and Connections
 Lead:
 Sheet 401.2, 701.3
 Shower receptor 411.8
 Lead pipe:
 Traps and bends 701.3
 Leader, definition 214.0
 Leaks, gas piping 1214.0
 Length:
 Developed, definition 206.0
 Drainage piping 703.0, Table 7-5
 Vent piping Table 7-5, 904.0
 Length and size of gas pipes 1217.0
Limited-density Owner-built Dwelling, definition (HCD) .. 604.1.1
 Liquefied petroleum gas (LPG) 1201.0, 1203.5, 1213.0
 Liquid waste:
 Definition 214.0
 Disposal of 303.0
 Listed 214.0
 Listing Agency, definition 214.0
 Loading, fixture unit Tables 6-5, 7-3 & 7-4
Local Authority to Approve CPVC Pipe, Residential (HCD) .. 214.0
 Location of:
 Backwater valve 710.1, 710.4, 710.6, 1006.0
 Fixtures 309.0
 Gas meters and risers 1209.1
 Gas valves 1209.1
 Industrial interceptors and separators 1009.0

Plumbing or sewer on lot 308.0, 721.0, Table 7-7
 Pressure-relief, regulator, or check valves 608.0, 1209.7
 Private sewage disposal system Appendix K
 Secondary protection, water heaters 506.2
 Shutoff valves 605.0, 1209.10, 1211.9.2
 Temperature relief valves 608.3
 Vent terminals 510.6.2, 906.0
 Water heaters 505.0, 508.0
 Lot, definition 214.0
 Lot line, termination of vents from 906.0
 Low hazard 214.0, Table 6-2
Low VOC One-Step Cement, definition (HCD) 214.0
Low VOC Primer, definition (HCD) 214.0
 Lubricants, thread 316.1.1, 705.1.5, 1209.5.7(d)

- M -

Macerating Toilet System, definition 215.0, 710.13
 Main, definition 215.0
 Sewer see Public Sewer
 Vent, definition 215.0
 Water main 225.0
 Maintenance 101.4.1.2, 1007.0, 1009.6, 1014.6
 Material:
 Alternate 301.0, 406.3
 Approval required 301.0
 Backwater and gate valves 605.4, 710.4, 710.6
 Building drain 701.0
 Building sewer 715.0
 Cesspool Appendix K
 Cleanouts 707.0
 Combustible, definition 502.6
 Condensers 810.2
 Drainage systems 701.0
 Fittings 301.0, 311.0, 707.2, 710.4, 710.6, 1209.5
 Gas piping 1209.5
 Marking of 301.0, 604.3, 710.6, 716.0, 1003.1
 Protection of 315.4, 1211.1
 Septic tank Appendix K
 Showers 411.0
 Shower control valves 418.0
 Soil and waste pipes 701.0
 Specifications, standards 301.0
 Sumps 710.8
 Thread lubricants 316.1.1, 1209.5.7(d)
 Traps 1212.7
 Valves and fittings 605.0
 Vents 903.0
 May, definition 215.0
Meat and Poultry Processing
Plants (AGR) 601.6, 717.1, 724.0, 1010.1
 Meat packing and slaughterhouses 1010.0
 Medical gas systems Chapter 13
 Metals, intermixing prohibited 311.6
 Meters, gas:
 Location of 1209.6.2
 Meters, water 610.1, 610.8, Appendix A
 Minimum standards 301.0
 Mobile home parks and
 recreational vehicle parks Appendix E
 Mortar, cement joints prohibited 705.1.2

- N -

Natural gas, specific gravity 1216.0
 Nipples, soldering 316.1.2
 Non-corrosive bolts 407.3, 407.4
 Notching 313.2

INDEX

- Nonpotable water piping 603.4.11, 610.13(6)
 Notice of inspection 103.5.4.1
 Nuisance 101.4.1.3, 216.0, 713.6
- O -
- Obstructions to flow 311.5, 316.4.1-2
 Offset 217.0, 510.6.1.1, 706.4, 905.3
 Oil interceptors 1009.0
One-and Two-Family Dwellings (HCD) 301.5
 Opening, effective, definition 207.0
 Open trench work 315.3
 Overflow:
 For gravity supply tank 607.0
 Plumbing fixture 403.0
 Rim, flood-level rim 208.0, 403.0
 Oxygen and gas interconnected 1211.12
- P -
- Packing additives prohibited 705.1.5
 Packing houses, grease interceptors required 1010.0
 Penalties 102.3.2, 103.5.6.1
 Percolation tests Appendix K
 Permit, required 101.3, 103.4.4.1, 103.5.1, 503.0
 Photographic studio sinks, waste from 811.8
 Piping:
 Building, adjacent to 313.4
 Building supply size 610.0
 Cleanout 707.0, 719.0
 Compounds, thread lubricants 316.1.1, 1209.5.7(d)
 Diameter, definition 206.0
 Drainage, horizontal, grade of 708.0
 Drainage piping, size of 703.0
 Embedded in masonry or concrete 313.2
 Gas, definition of 1203.2
 Gas, size of 1216.0, 1217.0
 Hangers and supports 314.0, 1211.2.6, Table 12-3
 Horizontal, definition 210.0
 Hot water, size of 610.0
 Improper location 309.0
 Interconnection of gas systems 1211.11, 1211.12
 Joints 103.5.3.5, 316.0, 317.0, 606.0, 705.0
 Nonpotable water 603.4.11
 Plastic (SFM) 311.12
 Protection from freezing 313.6
 Protection required 313.0, 315.0, 609.3, 1211.0
 Size of; see Diameter 302.0, 703.0, 904.0, 610.0,
 1216.0, 1217.0
 Reaming 310.3, 609.1, 701.2.1, 903.4, 1209.5.5
 Sizes of 302.0, 904.0
 Soil, definition 221.0
 Special wastes 221.0, Chapter 8
 Threads 311.8, 316.1.1, 701.2.2, 1209.5.7
 Tube, forming 609.1
 Underground 316.2.2, 604.2, 701.1.1, 903.1.1, 903.3,
 1211.1
 Vent 224.0, Chapter 9
 Vertical 224.0, Table 3-2, Chapters 7 & 9
 Waste 225.0, Chapters 7 & 8
 Waste, indirect 211.0, Chapter 8
 Water, materials 604.0
 Water, size of 610.0
 Water-distributing, definition 225.0
 Welder, definition 225.0
 Wrapping 609.3.1, 1211.1.3
 Pit, seepage 221.0, Table 7-7, 722.0, Appendix K
 Plans required or may be required 101.3, 802.0
 Plastic joint solvent cement 316.1.6
 Plugs, caps, cleanout 707.1-2
 Plugging, fixture outlets 101.4.1.1.3
 Plumbing:
 Additions and alterations 101.4.1
 Appliance, definition 218.0
 Appurtenance, definition 218.0
 Connected to sewer or private
 disposal system 304.0, 305.0, 713.0
 Defective, test of 103.5.5.1, 103.5.6.2
 Definition 218.0
 Inspection of 103.5
 Installation, material for Chapter 7
 Official see Authority Having Jurisdiction
 Repair 101.4.1.1.1-2
 System, definition 218.0
 Test required 103.5.3
 Uncovered for inspection 103.5.1.4
 Plumbing fixtures 218.0, 401.1
 Accessibility 407.1, 407.6
 Alternate materials 301.2, 406.3
 Backing of 407.2, 407.4
 Back-to-back 704.2
 Below curb or sewer level 710.1-2
 Chemical resistant 406.3
 Clearance from wall, toilet, urinal 407.6
 Connections, drainage 316.3, 404.0, 406.0, 704.1
 Control valves 605.0
 Distance from traps 1001.2, 1001.4, 1002.2, Table 10-1
 Floor drains and showers 411.0, 1006.0
 Improper location of 309.0
 Indirect connection 804.1
 Indirect waste 804.0
 Installation of 407.0
 Island 909.0
 Joints 316.0, 404.0, 406.1-407.0
 Material of 401.0, 406.3, 411.0
 Must be connected to sewer 304.0, 305.0
 Must be provided with trap 1001.0
 Overflows 403.0
 Prohibited 311.0, 311.5, 405.0, 410.3, 910.0
 Required 412.0, (DSA) 412.1.1, Table 4-1,
 (OSHPD) Table 4-2, (BSC, AGR)
 Table 4-3, (DHS) Table 4-4
 Setting 316.3.1, 407.6
 Size of waste for 702.0, 703.0, Table 7-3
 Special fixtures 406.0
 Standards 401.0
 Strainers and connections 404.0
 Supply and waste connection, access to 404.2
 Supply fittings 407.8
 Unit equivalent 610.3, 702.0, 703.0, Tables 6-5, 7-3 & 7-4
 Water supply required 601.0
 Pollution 218.0
 Polyethylene (PE) 604.1
 Polypropylene (PP), definition 218.0
 Polyvinyl Chloride (PVC) 218.0, 604.1, 701.1, 701.2
 Potable water:
 Definition 218.0
 Protection of 602.0, 603.0
 Supply required 601.0
 Unlawful connection to 602.0
 Poured joints 705.1.1
 Pressure drainage connections prohibited 805.0
 Pressure, excessive, water 608.2
 Pressure losses, water 610.0

2007 CALIFORNIA PLUMBING CODE

Pressure regulator, when required 608.2-6
 Pressure, regulator, gas1209.7
 Pressure-relief valve 505.4, 505.6, 506.2, 608.0
 Preventer, backflow 204.0, 603.2
 Primary settling tank 902.1
 Private or private use, definition218.0
 Private sewage:
 Capacity of system Appendix K
 Construction Appendix K
 Disposal system218.0, Appendix K
 General103.5.1.3, Appendix K
 Location721.0, Table 7-7, Appendix K
 Private sewer, definition218.0
 Private water supply 602.2, 602.4
 Prohibited:
 Additives, packing705.1.5
 Cement mortar joints705.1.2
 Concealment of defects 310.2, 1214.4.3
 Concealment of work before inspection .103.5.1, 705.1.1
 Connections, rainwater306.2
 Connections, waste 403.0, 801.1, 801.2, 805.0, 806.0
 Connections, water 602.0
 Copper tubing, use of 903.2.3, 1209.5.2.3
 Damage to drainage system 306.1, 313.0
 Defective material 103.1.2.1, 301.1.1, 1214.4
 Direct drainage603.3.5, 801.1, 810.1
 Double trap fixture1004.0
 Drinking fountain location 405.1
 Fittings311.0, 316.4
 Fixtures311.5, 405.0, 408.2
 Food waste disposal, connection to 1001.3, 1014.1.3
 Gas water heaters in bathroom, bedroom 505.1
 Industrial waste disposal307.0
 Joints and connections316.4, 606.2.2, 705.1
 Liquefied petroleum gas1213.0
 Pipes in masonry313.2
 Practices101.4.1.1.2, 310.2, 311.0, 313.2, 313.4,
 313.6, 316.4, 602.0, 714.0
 Receptors, location of804.1
 Trap joints1003.0
 Traps1004.0
 Trough type urinals405.2
 Union couplings in gas piping1211.3.2(4)
 Urinals and water closets on
 combination waste and vent910.7
 Water piping in drainage or sewer trench720.0
 Zinc alloy die cast components406.4
 Property line, termination of vent 906.2
 Protection from:
 Corrosion 313.1, 313.5, 609.3.1, 1209.5.6
 Freezing313.6
 Protection of:
 Piping materials and structures 313.0, 1209.5
 Potable water supply603.0
 Trap seal1002.1, 1005.0, 1007.0
 Water heaters 505.3, 506.2
 Public, or public use, definition218.0
 Public sewer, definition218.0
 Public shower floors411.1

- Q -

Quality and weight of materials,
 general regulations Chapter 3
 Quality of fixtures401.1
 Quick-disconnect device1212.5

- R -

Rain and surface water drains306.2, 714.2
 Rainwater systems Chapter 11, Appendix D
 Rate of flow, fixture unit .. 610.0, Table 6-5, 702.0, Table 7-3
 Reaming pipes 310.3, 606.1.1, 701.2.1, 903.4, 1209.5.5
 Receiving tank or sump710.2-3, 710.7-10, 710.13.1
 Receptors:
 Accessible 804.1, 811.4
 Approval required802.0, 804.1
 Connected indirectly to sewer 801.1-2
 Definition220.0
 Indirect waste804.0
 Maximum distance from fixture 804.1
 Required801.1-2, 811.1
 Shower, shower stalls411.0
 Size of trap, vent, waste 803.0
 Type and size 804.1
 Recessed or Durham fittings 206.0, 701.2.1
 Reclaimed waterChapter 16
 Recommended loadings, sewage
 disposalTable 7-5, Appendix K
 Reducer, where required317.0
 RefrigeratorsTable 7-3, 801.2
 Regulators, gas supply 1202.0, 1209.7.4
 Regulators, relief valves on water supply 608.2-6
 Relief vent 220.0, 907.0
 Connections 805.0
 For closed condensers, sumps, interceptors 810.1-2,
 1009.0
 Remote outlet, definition220.0
Renderers (AGR)601.8
 Repairing:
 Defective gas pipe, prohibited1207.0
 Defective pipe and fittings 101.5.2
 Repairs and alterations to plumbing and
 drainage system 101.4.1.1
 Required:
 Plans101.3
 Plumbing fixtures411.1
 Sewer connections 304.0, 305.0
 Vents901.0
 Responsible for testing 103.5.4.2
 Restaurant, grease trap1014.1
 Retesting103.5.6.2
 Rim:
 Definition 220.0
 Flood level 208.0, 603.3.5, 603.4.9, 905.3, 909.0
 Rise:
 Horizontal vent905.3
 Vents above fixture905.3
 Riser220.0, 610.1
 Roof drains220.0, 306.2
 Roof supply tanks 607.0
 Roof, termination of vents above 510.6.2, 906.1,
 906.3, 906.7
 Roughing-in, definition 220.0
 Running water, required 601.1

- S -

Saddle, sleeve, band outlets, prohibited 311.1
 Safety and health101.5.2
 Safety devices505.0, 603.3-14, 608.0,
 Sand interceptor:
 Cleanout for707.8
 Definitionsee Interceptor
 Design1009.1, 1009.3

INDEX

- Required1016.1
- Required for steam exhaust or blow off 810.0, Table 8-1
- Secondary902.1
- Type of trap1009.2
- Vent, required and not required901.0, 902.0,
1002.1–2, 1002.4
- Water seals1007.0
- Sanitary tees, permissible use706.2
- Schools of Cosmetology (CA)*601.5
- Screw pipe, supporting of314.0
- Screw pipe to cast iron705.2.3
- Screw pipe to copper tubing316.2.1
- SDR, definition221.0
- Seal, trap; see Trap, seal1005.0, 1007.0
- Screw joints316.2.1, 705.2.3
- Scrub Sink, definition (OSHPD)*221.0
- Secondary energy protection505.3, 506.2
- Secondary sand interceptors902.0
- Secondary temperature limiting device506.2
- Seepage linesAppendix K
- Seepage pitAppendix K
 - AbandonedAppendix K
 - ConstructionAppendix K
 - Location721.0, Table 7-7
 - SizeAppendix K
 - Soil absorptionAppendix K
- Self-cleaning trapsTable 7-3, 1003.1
- Separate plumbing and drainage systems312.0
- Separate venting811.6, 906.3
- Separator1009.0
- Septic tanks221.0, Appendix K
 - Abandoned722.2–5, Appendix K
 - Connections to sewer prohibited714.3
 - Location of721.0, Table 7-7
 - Wastes, connection to714.3
- Service, authority to render gas1206.0
- Service piping, gas, definition1203.8
- Setting fixtures316.3.1, 407.6
- Settling tank902.1
- Sewage:
 - Definition221.0
 - Disposal of303.0, 305.0, 709.0, 713.0, 714.0,
- Sewage disposal system, privateAppendix K
 - Construction713.3
 - Holding tank714.5
 - Location721.0, Table 7-7
- Sewage ejector, definition221.0
- Sewage pump, definition221.0
- SewersChapter 7
 - Abandoned722.0
 - Adjacent to walls715.1, 718.3, Table 7-7
 - Available305.2, 713.2, 713.4
 - Building, material of701.0, 715.1
 - Building sewer204.0, Chapter 7
 - Cleanouts719.0
 - Connection to, required304.0, 305.0, 713.0
 - Construction of715.0–719.0, Table 7-7
 - Damage to306.1, 714.1, 811.1
 - Depth of708.0, 718.3
 - Easements for721.2
 - Ejectors710.2
 - Existing101.4.1.1.1–2, 312.0, 705.1.2, 713.6
 - Grade and support of708.0, 713.6, 718.0
 - Independent system required312.0
 - Inspection, order of103.5.1
 - Installed on made or filled-in ground718.2
 - Location308.0, 313.0, 718.0, 720.0, 721.0, Table 7-7
 - Materials101.4.1.1.2, 715.1, 718.3, 720.0
 - Mobile home215.0, Appendix E
 - Must be on same lot as building308.1, 312.0, 721.1
 - Pipe joints705.1, 705.3.1
 - Private sewage disposal system218.0, 305.1–2,
713.1–2, 713.6
 - Public, definition218.0
 - Public, damage to306.1, 714.1
 - Required305.1–2, 713.1–2, 713.6
 - Size of building710.5, 717.0, Table 7-8
 - Testing of101.4.1.1.2
 - Water pipe in trench720.0
- Shall, definition221.0
- Sheet lead411.8, 701.3
- Shielded couplings221.0, 705.1.8
- Shock arrester, definition221.0
- Short turn 1/4 bend, prohibited311.5, 706.1
- Should, definition221.0
- Shower stall or compartment411.7
- Showers, gang, drainage209.0, 411.9, Table 7-3
- Shower pans411.8
- Shower receptors411.8
- Shutoff valves605.0, 710.4, 1211.9
- Single-family dwelling, definition221.0
- Sinks:
 - Chemical, special use406.3
 - Island909.0
 - Prohibited405.3
- Sinks and laundry tubs1001.2–3
 - Types prohibited405.3
- Size of:
 - Building sewer703.0, 705.0, 717.0, Tables 7-3, 7-8
 - CesspoolAppendix K
 - Combination waste and vent piping805.0, 910.0,
Appendix B
 - Combustion air vents506.1, 507.0
 - Disposal fieldAppendix K
 - Drainage piping, minimum703.0, 707.3, 707.10,
Table 7-3
 - Gas piping system1216.0, 1217.0
 - Indirect waste pipes803.0
 - Pipe cleanout707.11, Table 7-6
 - Seepage pitAppendix K
 - Septic tankTable 7-3, Appendix K
 - Trap702.0, Table 7-3, 910.4, 910.6, 1003.3, 1006.0
 - Vent pipes710.10, Table 7-5, 810.1, 904.0, 905.4,
906.3, 908.2, 908.3, 910.3,
 - Vent stackTable 7-5, 904.0, 907.1
 - Water piping609.0, 610.0
- Slaughterhouses1010.0
- Slip joints316.1.5, 705.1.6, 705.1.8–9, 705.3.1, 705.3.3
- Slip joints, traps705.3.1, 1003.2
- Slopesee Grade
- Softener610.2
- Soil pipe221.0, 311.2, 311.4, 311.6, 704.4.1,
704.4.3, 705.1.9, 722.2, 1002.4
- Soil porosityAppendix K
- Soil stack, minimum size703.0
- Solder, bushings and ferrules316.1.2, 701.4.2,
Tables 7-1 & 7-2
- Solder fluxes316.1.3
- Solder joints212.0, 316.1.2–3, 316.2.1, 316.3.1,
606.2.1, 705.3.4
- Spacing:
 - Gas risers or meters1209.2, 1211.5
 - Pipe supports314.1, 314.7, Table 3-1

2007 CALIFORNIA PLUMBING CODE

Special fixtures 406.0, 406.3
 Special joints 316.2.1
 Special waste pipesee Industrial Waste
 Special wastes:
 Acid and chemical 811.0
 Definition 221.0
 High temperatures 810.1, Table 8-1
 Laundries, bottling works, wash racks 702.0, 711.0,
 1012.0, 1013.0
 Specific gravity, natural gas 1216.1
 Specifications for materials Chapter 3, Table 14-1
 Stack 221.0, 311.4, 705.3.2, 711.0, 904.0, 906.1, 907.0
 Standards for materials Chapter 3, Table 14-1
 Standpipe, clothes washer 804.1
 Steam exhaust condenser or blow off 810.0, Table 8-1
 Sterile equipment 806.0
 Storage tanks:
 Gravity 607.0
 Hot water 506.2
 Storm drain, definition 221.0
 Storm sewer, definition 221.0
 Strainers 404.1, 410.1
 S-trap prohibited 1004.0
 Street main; see Water main 225.0, 610.7, Table 6-5
 Structural condition safety 313.11
 Studding and joists, cutting of 313.2
 Sub-drain, shower stalls 411.8
 Submittal of plans 101.3, 103.2.1.4, 103.3.1, 103.4.2-3
 Subsoil drain, definition 221.0
 Substitute materials 301.2
 Subsurface disposal field Appendix K
 Suds relief 711.0
 Sump:
 Boiler room, installation 810.1, 810.3
 Building, backwater devices 710.2
 Building drainage systems below sewer level 710.2
 Condensers 810.0, Table 8-1
 Construction 810.2
 Definition 221.0
 Pump connection permitted 710.2-3, 710.9, 805.0,
 Table 7-4
 Pump discharges, conversion to fixture units 710.4,
 Table 7-4
 Sewage 710.0
 Vent 710.7, 710.10, 810.1, Table 8-1
 Supply:
 Control valves, water 605.0
 Fittings, fixtures 407.8
 Fixture, definition 208.0
 Hot water 601.3, 602.1, 604.1
 Non-potable water 603.4.11
 Pipe, size of 610.0, Table 6-5
 Potable water, protection 603.0, 603.2.5
 Tank, water 607.0, 608.1, 608.3
 Trap, seal 1004.0, 1005.0, 1007.0
 Water, quality of, source of 601.1
 Supports and hangers 221.0, 314.0, Table 3-2, 510.10.10, 609.1
 906.4, 1211.2.6, Table 12-3
 Surface water, discharge 307.2, 714.2, 811.1
 Surrounding material, urinals 407.4-5
 Sweat joints 316.1.3, 316.2.1
 System:
 Combination waste and vent 205.0, 910.0
 Defective, testing of 103.5.5.1
 Drainage 206.0, 712.0
 Durham, definition 206.0
 Gas piping, size of 1216.0, 1217.0
 Independent 312.0

Interconnection of gas piping 1211.11, 1211.12
 Plumbing, definition 218.0
 Vent 224.0, 712.0
 Water supply 225.0, 609.0, 712.0

- T -

Tailpiece:
 Connection 807.2, 910.5-6
 Maximum length of 910.5
 Tanks:
 Automatic flushing, urinals 410.2
 Boiler blow off; see Condensers
 and Sumps 810.1, Table 8-1
 Flush 208.0, 403.0, 407.4, 410.2, 601.1, 603.3.8,
 Table 7-3
 Gravity supply 607.0
 Hot water storage 608.3, 608.6
 Inlet to 603.4.2, 603.4.5, 710.9, 810.1
 Liquefied petroleum 1203.5, 1213.0, 1217.4
 Material 710.8, 810.2
 Primary settling 902.1
 Septic see Septic Tank
 Water closet 403.0, 405.1, 601.1, 603.4.2-3
 Water supply 602.1, 607.0, 608.1, 608.3
 Water supply, overflow 603.4.2, 607.0, 805.0
 Temperature-limiting devices 505.5
 Temperature-relief valves 505.5, 505.6
 Temporary use of gas 1208.0
 Termination of vents 510.6.2, 906.1
 Tests:
 Advance notice for 103.5.4.1
 Air 103.5.3.3, 103.5.3.5, 1214.1.7
 Alternate materials, methods 301.2.1
 Building sewer 101.4.1.1.2, 103.5.1.3-4, 723.0
 Concealing of work prohibited
 before inspection 103.5.1.1, 103.5.1.3-4, 1204.0
 Exceptions 103.5.3.3, 1204.4
 Final 103.5.6.3, 712.1, 1204.3.2
 Labor and material for 103.5.4.2, 1204.2
 Percolation Appendix K
 Required 103.5.3
 Responsibility for 103.5.4.2
 Sanitary plumbing 103.5.5.1
 Shower receptors 411.8.1
 Testing agency 301.2.1, 610.2
 Waived 103.5.3.2
 Water supply system 103.5.1.1, 103.5.3.3, 610.2
 Threaded joints 316.1.1, 316.2.1, 705.2.3
 Threaded fittings 311.2, 316.1.1, 316.2.1, 705.2.3
 Thread lubricants 316.1.1, 1209.5.7(d)
 Three-compartment sinks 1001.2
 Toilet, definition (OSHPD) 222.0
 Toilet Room, definition (OSHPD) 222.0
 Toilets:
 Connections 316.4.2
 Prohibited type 405.1
 Trap 222.0, 1003.0
 Arm 222.0, 1002.2-3, Tables 7-3, & 10-1
 Drum 1004.0
 Exceptions for 1001.2-3, 1002.3
 Floor drain 1003.1, 1006.0, 1007.0
 For sumps, condensers 810.1
 For three-compartment sinks or three lavatories 1001.2
 From fixture, distance of 1001.4
 From vent, distance of 704.2, 1002.2, Table 10-1
 Grease 209.0, 1014.0, Tables 1-1, 7-3, & 10-2

INDEX

Ground metal joints 705.3.3
 Horizontal distance from vent 704.2, 1002.2, Table 10-1
 Indirect connection required 801.0
 Industrial interceptors and separators 1009.0
 Integral 1001.0
 Material of 103.1.2.1, 301.1.1-2, 807.3, 1003.1
 Minimum size 702.0, 1003.3, Tables 7-3 & 7-5
 Prohibited types 1004.0
 Protection 603.3.8, 1002.1-2
 Required 1001.0
 Seal 222.0, 1005.0, 1007.0
 Separate for each fixture 1001.1
 Size 1003.3, Table 10-1
 Slip joints in 705.3.1, 1003.2
 Union joint in water seal 316.2.2, 1003.2
 Unit loading 702.0, Table 7-5
 Vents for 103.1.2.1, 810.1, 901.0, 905.2, 905.5,
 908.1, 909.0, 910.5, 1002.0, Tables 7-5 & 10-1
 Vent not required for 902.0
 Water seal 1005.0
 Weir 905.5, 1001.4, 1002.2, 1002.4
 Where required 1001.0
 Trenching, excavation, and backfilling ... 315.0, 718.0, 720.0
 Trough urinals, prohibited 405.2
 Tubing, copper 316.1.3, 316.2.1, 604.1-4, 604.7, 606.1.1, 606.2.1,
 609.3.2, 701.1.4, 705.3.3
 Tubing, gas connectors 1212.1, 1212.3
 Tunneling 315.2

- U -

Unconfined space, definition 223.0
 Underground:
 Copper tubing 604.2, 701.1.4
 Dosing tanks Appendix K
 Drainage material 316.2.2, 701.0
 Gas piping 1211.1
 Vent material 316.2.2, 701.1.4, 903.1.1, 903
 Water pipes 609.0, 720.0
 Unions:
 Couplings, in gas piping 1211.0
 In vents 316.2.2
 Joint in seal of trap 1003.2
 Where allowed 316.2.2, 1211.3.2(4)
 Unit, fixture 208.0, 610.3, 702.0, Tables 6-5 to 6-7 & 7-3
 Unit loading of traps 702.0
 Unlawful connections 602.0
 Unsanitary, definition 223.0
 UPC, definition (DHS, HCD, OSHPD) 223.0
 Urinals 316.3.1, 402.3, 403.0, 405.1, 407.6, 409.0, 601.1,
 707.4(1), 1003.1, Tables 7-3 & 7-5
 Use of alternate material 301.2
 Use, private, definition 218.0

- V -

Vacuum breaker 224.0, 409.1, 603.2, Tables 1-1, 6-2, 6-3
 Vacuum relief valve, definition 224.0
 Validity of code 103.7.1, 103.8
 Valves 311.7, 605.0
 Accessible (OSHPD) 605.8
 Backwater 710.0
 Check 603.2.4, Table 6-2
 Flush, definition 208.0
 Flushometer 410.2-3, 610.10, Table 6-7
 For drainage 710.4
 For water 605.0
 Hose outlet protection 603.3.8

Required 605.0, 1211.9
 Temperature and pressure relief 608.0
 Vent or vent pipe:
 Below trap weir 905.5, 1002.4
 Branch, definition 204.0
 Changes in direction of 903.4
 Chemical 811.2, 811.5-6
 Combination waste system design 205.0, 910.0,
 Appendix B
 Common vent 205.0, 908.3
 Connections 311.2, 805.0, 905.1, Table 8-1
 Connectors 510.10
 Continuous, definition 205.0
 Distance of trap from 1002.2, Table 10-1
 Double fitting for 704.2, 905.0
 Drain and waste Table 7-3, Chapter 7
 Fittings Table 7-5
 Fixtures, back-to-back 704.2, 905.6
 Flagpoling, prohibited 906.3
 Flashing for 313.8, 906.1, 906.5
 Grade of 905.1, 905.3
 Height above fixture 905.3, 909.0
 Height above ground 510.8.3
 Horizontal Table 7-5, 904.2, 905.3
 Indirect waste 801.1-2, 803.0, 805.0, 810.1, 902.0
 Individual, definition 211.0
 Interceptors 902.1, 1009.0
 Island sinks and fixtures 909.0
 Length of Table 7-5, 904.0
 Material for 811.2, 903.0
 Method of installation 311.5, 903.0, 906.4
 Minimum size in each building Table 7-5, 904.0
 Not required 803.0, 902.0
 Not to be used as soil or waste pipe 311.4
 Opening location 905.5, 1002.4
 Parallel, connection 907.1
 Pipe, grade and connection 905.1, 905.3
 Prohibited location of 903.1.1-2, 903.3
 Receptors 811.2
 Relief 220.0, 805.0, 907.0, 1009.4
 Required 710.0, 901.0, 904.1
 Required separately on every trap 901.0, 902.1,
 1002.1-2
 Sizing Table 7-3, 710.0, 904.0, 905.4, 908.0, 910.4
 Special 909.0
 Stack 224.0, 311.4, 906.1, 907.0
 Steam, exhaust 810.0
 Sump 710.7, 710.10, 810.1, Table 8-1
 System, definition 224.0
 Ten stories or more 907.1
 Termination 510.6.2, 906.0
 Undiminished through roof 905.4, 907.1
 Unit loading Table 7-5
 Vertical wet see Wet Vent
 Wet see Wet Vent
 Yoke 227.0, 907.0
 Vent connector 510.10
 Vent or vent flue 502.0
 Vertical pipe: 224.0, 703.0, 704.2, 905.6, 908.2, 910.5
 Unit loading length-drainage piping Table 7-5
 Piping, support of Table 3-2
 Vertical-to-horizontal drainage fittings ... 706.4, 905.2-3, 909.0
 Vertical wet venting see Wet Vent
 Violation, notices of 103.5.6.1
 Vitrified clay 701.1.3, 705.2.1, 811.2

- W -

Wall, extension through 313.1

2007 CALIFORNIA PLUMBING CODE

Wall-hung fixtures, installation of . . .316.3.3, 407.1-2, 407.4-6
 Wall-hung water closets, definition 225.0
 Wall, recess or channel in 313.2
 Wash racks, auto 1011.0
 Waste Chapter 7
 Chemical laboratory, photographic 811.0
 Cooling water 801.0, 808.0
 Combination 205.0, 901.0, Appendix B
 Continuous 205.0, 404.3-4, Table 7-3
 Detrimental or harmful 306.1, 307.0, 811.1, 1009.1
 Food, disposal unit see Food waste disposal unit
 Indirect 211.0, Table 7-3, Chapter 8, 902.0
 Industrial 211.0, 307.0, 811.1, 903.2.3, 1001.3, 1009.0,
 1010.0, 1014.0, 1015.0
 Liquid 214.0, 303.0, 304.0, 710.2, 811.1, 1006.0, 1009.1
 Pipe, definition 218.0
 Buildings over 10 stories 907.1
 For refrigerators Table 7-3, 801.2
 Indirect 211.0, 801.0, 805.0
 Accessibility 804.1
 Airbreak 801.0
 Airgap for 801.0, 806.0
 Installation of 313.6, Table 4-1, 802.0,
 803.0, 810.0
 Material of, inside building 701.0
 Number of fixtures allowed on Table 7-5
 Size of Tables 7-3 & 7-5
 Pretreatment required 811.1
 Receptor, prohibited location 804.1
 Special, definition 221.0
 Stack, definition 221.0
 Water:
 Additions to existing work 101.5.1, 610.13(2),(3)
 Building supply 604.1, 609.5, 610.0, Table 6-5
 Conditioning 225.0, 603.0, 611.4, 610.2
 Distributing pipe, definition 225.0
 Distribution system Chapter 6
 Drinking (HCD) 601.4
 Filter 610.2
 Hammer arrester, definition 225.0
 Main, definition 225.0
 Non-potable lines 603.4.11, 610.13(6)
 Piping:
 Grounding 604.8
 In sewer trench 315.4, 609.2, 720.0
 Installation of 603.3.8, 604.8, 609.0, 720.0
 Material 604.0
 Sizing 610.0, Tables 6-4 & 6-5
 Test 103.5.3
 Potable 218.0, 316.1.3, 501.0, 602.0-603.0, 604.5,
 604.7, 604.10, 607.0, 608.2, 610.1-2, 610.13(7)
 Pressure:
 Excessive 608.2-6
 Inadequate 608.1
 Loss 610.0
 Regulators and relief valves 608.2-6
 Private supply 602.4, Table 6-4
 Prohibited materials 604.10
 Protection of potable 603.0
 Required 601.1, 610.3
 Service, size 610.0, Table 6-5
 Softener 610.2
 Supply:
 Cross-connectors 601.1, 602.3, 603.0
 Flushometer valves see Flushometer valves
 To fixtures 610.0, Tables 6-4 & 6-5
 System, definition 225.0
 Supply tank 603.4.2, 607.0
 Temperature-limiting device 505.5, 506.2
 Test 103.5, 610.2
 Unlawful:
 Connections 602.0
 Devices 602.3
 Valves, control 605.0
 Water closets Definition (HCD) 225.0, 316.3.1,
 401.1, 403.0, 405.1, 407.0, 601.1,
 603.4.1-3, 610.3, 910.7, Tables 6-5 & 7-3
 Water heaters:
 Access 509.3, 509.4
 Clearances 505.3
 Combustion air for 507.0
 Definition 502.15
 Gas 508.0, 1203.2
 Oil-burning and other 506.0
 Pressure-relief valve 608.3-6
 Prohibited location 505.1
 Protection 508.0
 Waterproofing:
 Fixture setting 316.3.1, 408.0
 Flashings 313.8, 906.5
 Openings 313.8
 Water-sealed traps see Traps
 Water softener 610.2
 Water test:
 Building sewers 103.5
 Plumbing, drainage and vent system 103.5, 712.0
 Water treatment device see Water Conditioning
 Weep holes, sub-drain of shower stalls 411.8
 Weight of flashing, lead 701.3
 Weights and quality of materials Chapter 3, 604.0, 906.6
 Welded lead joints 705.1.3
 Welder, pipe, definition 225.0
 Welding or brazing joints 316.1.7, 705.1.3
 Well, distance from sewage disposal 721.1, Table 7-7
 Wet vent 225.0, 316.2.2, 908.0, 910.6
 Whirlpool bathtub, definition 225.0
 Window, termination of vents from 906.2
 Wiped joints 316.1.2, 705.2.4
 Wooden sinks and laundry trays 405.3
 Work, concealed 103.5.1-3, 504.2, 1204.3.1-2,
 Work, existing 101.4-5, 207.0
 Work, exposed, where required 103.5.1-4, 504.2,
 1204.3.1-2, 1211.3
 Workmanship 310.0, 609.1
 Wrapping of pipe 313.1, 609.3.1
 Wrought iron (galvanized) 316.1.2, 604.6, 604.8, 701.1.1
 705.2.3-4, 707.1, 903.1
 Wye connections 404.4, 706.0, 707.6-7, 710.4, 719.4,
 907.2, 909.0
 - X -
 X-ray darkrooms 811.8
 - Y -
 Yard piping, gas 1211.0
 - Z -
 Zinc alloy die cast components 406.4