

No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Somany Sanitaryware Private Limited Regd.Off .S.No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat File No: IN-1047 Product: Water Efficient Toilets Effective Date: October 01, 2018 Void After: September 30, 2019

IDENTIFICATION:

The manufacturer's name or registered trademark, or, in the case of private labeling, the name of the customer for whom the fixture was manufactured, shall be permanently applied so as to be legible and visible after installation. The model number of each water closet, or bowl and tank model numbers (in the case of close-coupled water closets) shall be applied on each component so as to be legible and visible after installation.

Each water closet shall be marked, identifying the water consumption of the fixture. This disclosure shall be expressed in terms of liters per flush as follows:

- (a) 4.8 Lpf, or the actual tested water consumption, if lower, for high-efficiency water closets;
- (b) 6.0 Lpf, or the actual tested water consumption, if lower, for low consumption water closets.

Each Gravity flush tank shall be permanently marked by the manufacturer with a water level mark, or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the vitreous body in the tank, the tank liner, or the flush-valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm.

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging for vitreous plumbing fixtures shall be marked with the manufacturer's name or registered trademark, or, in case of private labeling, the name of the customer for whom the fixture was manufactured, and the model number of the



No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or quarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Somany Sanitaryware Private Limited Regd.Off .S.No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat File No: IN-1047 Product: Water Efficient Toilets Effective Date: October 01, 2018 Void After: September 30, 2019

fixture. Listed products and its packaging shall bear the Classified WEP-I triangular star rating certification mark with or without the term 'GREEN' on top of the mark.

CHARACTERISTICS: Water closets equipped with a dual flushing device are to be installed to the manufacturer's instructions and requirements.

Water closets equipped with a dual flushing device. To be installed to the manufacturer's instructions and requirements of the latest edition of the Uniform Illustrated Plumbing Code – India (UIPC-I). Products comply to applicable sections of the latest edition of the Uniform Illustrated Plumbing Code – India, ASME A112.19.2-2013/CSA B45.1-13 with Update No. 1, ASME A112.19.14-2013, 2013 Green Plumbing Code Supplement – India (GPCS-I), 2017 Water Efficient Products – India (WEP-I), and IGBC and LEED® Green Rating Systems. Sample models listed on this certificate were tested by an IAPMO India recognized laboratory that was found compliant to applicable requirements in ISO/IEC 17025.

Dr. K. Chandrasekhar IAPMO India

K. Chandrasenhar

GP Russ Chaney CEO, The IAPMO Group

Russ Chaney



Models:



No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or quarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Somany Sanitaryware Private Limited Regd.Off .S.No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat File No: IN-1047 Product: Water Efficient Toilets Effective Date: October 01, 2018 Void After: September 30, 2019

	Dual Flush								Ba	sel	ine		2013 GPCS-I	IG	ВС	LE	ED
	Gravity Flow 1		Flı	ısh Lı	of (I	High/L	ow)	Savi	ngs	s Lpf	2017	GPCS-1 Green	Green Rat	ing System		ing System
	PC_EWC Model	Ba	ine		R	Rate	d	(Hig	gh/l	Low)	WEP-I Star Rating	Effective Max.	Homes ¹	Factory Bldg ²	CS ³	NC&MR ⁴	
	FLOOR MOUNT												Flush	WE Mandatory	WC Mandatory	WE	WE
	_												(Lpf)	Requirement 2	Requirement 2	Prerequisite 1	Prerequisite 1
1	Tesla' S Trap	6.0	/	3.0		3.90	/	1.50	2.10	/	1.50	***	2.30	WE Credit 4	WC Credit 6	WE Credit 3	WE Credit 3
	220 mm								35%	/	50%			Points: 4	Points: 4	Points: 3	Points: 3
	D 1107															WE C. 12	WE C. 19
2	Damak' S Trap	6.0	/	3.0		3.60	/	1.50	2.40	1	1.50	***	2.20	WE Credit 4	WC Credit 6	WE Credit 3	WE Credit 3
	220 mm								40%	/	50%			Points: 4	Points: 4	Points: 4	Points: 4
3	Marina' S Trap	6.0	/	3.0		3.00	/	1.50	3.00	/	1.50	***	2.00	WE Credit 4	WC Credit 6	WE Credit 3	WE Credit 3
	110 mm								50%	/	50%			Points: 0	Points: 2	Points: 0	Points: 0
4	Marina' S Trap	6.0	/	3.0		3.00	1	1.50	3.00	/	1.50	***	2.00	WE Credit 4	WC Credit 6	WE Credit 3	WE Credit 3
	300 mm								50%	/	50%			Points: 0	Points: 2	Points: 0	Points: 0



No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance Sustem. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Somany Sanitaryware Private Limited Regd.Off .S.No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat File No: IN-1047 Product: Water Efficient Toilets Effective Date: October 01, 2018 Void After: September 30, 2019

5	Marina' S Trap	6.0	/	3.0	3.0	0	1.50	3.00	/	1.50	***	2.00	WE Credit 4	WC Credit 6	WE Credit	WE Credit
	220 mm							50%	/	50%			Points: 0	Points: 2	Points: 0	Points: 0
6	Marina' P Trap	6.0	/	3.0	3.0	0	1.50	3.00	/	1.50	***	2.00	WE Credit 4	WC Credit 6	WE Credit 3	WE Credit 3
	180 mm							50%	/	50%			Points: 0	Points: 2	Points: 0	Points: 0
7	Obika' S Trap	6.0	/	3.0	3.8	0	1.70	2.20	/	1.30	***	2.40	WE Credit 4	WC Credit 6	WE Credit	WE Credit
	300 mm							37%	/	43%			Points: 0	Points: 2	Points: 0	Points: 0
8	Obika' S Trap	6.0	/	3.0	3.8	0	1.70	2.20	/	1.30	***	2.40	WE Credit 4	WC Credit 6	WE Credit	WE Credit 3
	220 mm							37%	/	43%			Points: 0	Points: 2	Points: 0	Points: 0
9	Rubix' S Trap	6.0	/	3.0	3.8	0	1.80	2.20	/	1.20	***	2.47	WE Credit 4	WC Credit 6	WE Credit	WE Credit 3
	220 mm							37%	/	40%			Points: 0	Points: 2	Points: 0	Points: 0
10	Rubix' S Trap	6.0	/	3.0	3.8	0	1.80	2.20	/	1.20	***	2.47	WE Credit 4	WC Credit 6	WE Credit	WE Credit



No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Somany Sanitaryware Private Limited Regd.Off .S.No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat File No: IN-1047 Product: Water Efficient Toilets Effective Date: October 01, 2018 Void After: September 30, 2019

				1						•						
0 mm								37%	/	40%			Points: 0	Points: 2	Points: 0	Points: 0
oix' ' S Trap	6.0	/	3.0	3	3.80	/	1.80	2.20	/	1.20	***	2.47	WE Credit 4	WC Credit 6	WE Credit	WE Credit
0 mm								37%	/	40%			Points: 0	Points: 2	Points: 0	Points: 0
bix' P Trap	6.0	/	3.0	3	3.80	/	1.80	2.20	/	1.20	***	2.47	WE Credit 4	WC Credit 6	WE Credit	WE Credit
0 mm								37%	/	40%			Points: 0	Points: 2	Points: 0	Points: 0
oiter S Trap	6.0	/	3.0	3	3.70	/	1.80	2.30	/	1.20	***	2.43	WE Credit 4	WC Credit 6	WE Credit	WE Credit
0 mm								38%	/	40%			Points: 0	Points: 2	Points: 0	Points: 0
oiter S Trap	6.0	/	3.0	3	3.70	/	1.80	2.30	/	1.20	***	2.43	WE Credit 4	WC Credit 6	WE Credit	WE Credit
0 mm								38%	/	40%			Points: 0	Points: 2	Points: 0	Points: 0
iter' P Trap	6.0	/	3.0	3	3.70	/	1.80	2.30	/	1.20	***	2.43	WE Credit 4	WC Credit 6	WE Credit	WE Credit
0 mm								38%	/	40%			Points: 0	Points: 2	Points: 0	Points: 0
oiter S Trap	6.0	/	3.0	3	3.70	/	1.80	2.30	/	1.20	***	2.43	WE Credit 4	WC Credit 6	WE Credit	WE Credit
0 mm								38%	/	40%			Points: 0	Points: 2	Points: 0	Points: 0
' S Trap	6.0	/	3.0	3	3.50	/	1.60	2.50	/	1.40	***	2.23	WE Credit 4	WC Credit 6	WE Credit	WE Credit
	O mm bix' P rap 0 mm biter S rap 0 mm	Crap 0 mm bix' P Crap 0 mm oiter S Crap 0 mm	Crap 6.0	Crap 6.0	Crap 6.0	Srap 6.0 / 3.0 3.80 0 mm 3.0 3.80 bix' P 6.0 / 3.0 3.80 0 mm 3.0 3.80 0 mm 3.0 3.70 0 mm 3.0 3.70 0 mm 3.0 3.70 0 mm 3.0 3.70 0 mm 3.70 3.70 0 mm 3.70 3.70 0 mm 3.70 3.70	Srap 6.0 / 3.0 3.80 /	Grap 6.0 / 3.0 3.80 / 1.80 bix' P 6.0 / 3.0 3.80 / 1.80 bix' P 6.0 / 3.0 3.70 / 1.80 o mm O mm 3.0 3.70 / 1.80 o mm O mm 3.70 / 1.80 o mm 3.70 / 1.80	Grap 6.0 / 3.0 3.80 / 1.80 2.20 O mm 3.0 3.80 / 1.80 2.20 O mm 37% Strap 6.0 / 3.0 3.70 / 1.80 2.30 O mm 38% Strap 6.0 / 3.0 3.70 / 1.80 2.30 O mm 38% Strap 6.0 / 3.0 3.70 / 1.80 2.30 O mm 38% O mm 3.70 / 1.80 2.30 O mm 3.70 / 1.80 2.30 O mm 3.70 / 1.80 2.30	Grap 6.0 / 3.0 3.80 / 1.80 2.20 / bix' P Grap 6.0 / 3.0 3.80 / 1.80 2.20 / o mm 37% / 1.80 2.20 / oiter S Grap 6.0 / 3.0 3.70 / 1.80 2.30 / oiter S Grap 6.0 / 3.0 3.70 / 1.80 2.30 / oiter P Grap 6.0 / 3.0 3.70 / 1.80 2.30 / oiter S Grap 6.0 / 3.0 3.70 / 1.80 2.30 / oiter S Grap 6.0 / 3.0 3.70 / 1.80 2.30 / oiter S Grap 6.0 / 3.0 3.70 / 1.80 2.30 / oiter S Grap 6.0 / 3.0 3.70 / 1.80 2.30	Grap 6.0 / 3.0 3.80 / 1.80 2.20 / 1.20 bix' P Grap 6.0 / 3.0 3.80 / 1.80 2.20 / 1.20 o mm 37% / 40% o mm 3.0 3.70 / 1.80 2.30 / 1.20 o mm 38% / 40% o mm 38% / 40%	Crap 6.0 / 3.0 3.80 / 1.80 2.20 / 1.20 bix' P Grap 6.0 / 3.0 3.80 / 1.80 2.20 / 1.20 o mm 37% / 40% o mm 38% / 40%	Crap 6.0 / 3.0 3.80 / 1.80 2.20 / 1.20 O mm 37% / 40% O mm 37% / 40% O mm 37% / 40% O mm 38% / 40%	Crap 6.0 / 3.0 3.80 / 1.80 2.20 / 1.20	Crap 6.0 / 3.0 3.80 / 1.80 2.20 / 1.20	Crap 6.0 3.0 3.80 1.80 2.20 1.20



No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



Certificate Of Listing

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance Sustem. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Somany Sanitaryware Private Limited Regd.Off .S.No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat File No: IN-1047 Product: Water Efficient Toilets Effective Date: October 01, 2018 Void After: September 30, 2019

110	10. 11-10-7	11,	out	1Ct. 1	, att		icic	III I OI	1100			dive Date. Octob	2010	, ,	old Alter. Sept	ciiibei 50, 20	1/
																3	3
	220 mm								42%	/	47%			Points: 0	Points: 2	Points: 0	Points: 0
2P(C EWC FLOOR	MOI	UN	<u>T M</u>	ODI	<u>EL</u>											
18	Uniek' S Trap	6.0	/	3.0		3.70	/	1.50	2.30	/	1.50	***	2.23	WE Credit 4	WC Credit 6	WE Credit	WE Credit
	220 mm								38%	/	50%			Points: 0	Points: 2	Points: 0	Points: 0
19	Uniek' P Trap	6.0	/	3.0		3.90	/	1.90	2.10	/	1.10	***	2.57	WE Credit 4	WC Credit 6	WE Credit	WE Credit
	180 mm								35%	/	37%			Points: 0	Points: 2	Points: 0	Points: 0
20	Uniek' S Trap	6.0	/	3.0		3.90	/	1.90	2.10	/	1.10	***	2.57	WE Credit 4	WC Credit 6	WE Credit	WE Credit
	110 mm								35%	/	37%			Points: 0	Points: 2	Points: 0	Points: 0
21	Kamp' S Trap	6.0	/	3.0		3.60	/	1.70	2.40	/	1.30	***	2.33	WE Credit 4	WC Credit 6	WE Credit	WE Credit
	220 mm								40%	/	43%			Points: 0	Points: 2	Points: 0	Points: 0
22	EWC' S Trap	6.0	/	3.0		4.00	/	1.90	2.00	/	1.10	***	2.60	WE Credit 4	WC Credit 6	WE Credit 3	WE Credit
	Somany								33%	/	37%	Establish Establish		Points: 0	Points: 2	Points: 0	Points: 0
23	'EWC' P Trap	6.0	/	3.0		4.00	/	1.90	2.00	1	1.10	***	2.60	WE Credit 4	WC Credit 6	WE Credit	WE Credit
	Somany								33%	/	37%			Points: 0	Points: 2	Points: 0	Points: 0



No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or quarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Somany Sanitaryware Private Limited Regd.Off .S.No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat File No: IN-1047 Product: Water Efficient Toilets Effective Date: October 01, 2018 Void After: September 30, 2019

24	EWC Concealed	6.0	/	3.0		4.00	/	1.90	2.00	/	1.10	***	2.60	WE Credit 4	WC Credit 6	WE Credit	WE Credit
	S-TRAP								33%	/	37%			Points: 0	Points: 2	Points: 0	Points: 0
	somany																
	WALL HUN	NG 1	EX	TEN	DE	ED EV	N(2 P(<u> </u>								
25	E.W.H 'Kape	6.0	/	3.0		4.61	/	2.53	1.39	/	0.47	***	3.22	WE Credit 4	WC Credit 6	WE Credit	WE Credit 3
	170mm								23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0
26	Uniek' Extd	6.0	/	3.0		4.61	/	2.53	1.39	/	0.47	***	3.22	WE Credit 4	WC Credit 6	WE Credit 3	WE Credit
	170mm								23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0
WA	LL HUNG EWO	\mathbf{W}	DI	CON	IC I	EALE	ED	DUA	L FLU	JSI	H						_
27	Neptune BTW	6.0	/	3.0		4.61	/	2.53	1.39	/	0.47	***	3.22	WE Credit 4	WC Credit	WE Credit	WE Credit
	S-TRAP-110								23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0
28	Neptune BTW	6.0	/	3.0		4.61	/	2.53	1.39	/	0.47	***	3.22	WE Credit	WC Credit	WE Credit	WE Credit
	P-TRAP-180								23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0
29	BTW 'Marina'	6.0	/	3.0		4.61	/	2.53	1.39	/	0.47	***	3.22	WE Credit 4	WC Credit	WE Credit	WE Credit
	S-TRAP 110								23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0
30	IRIS'	6.0	/	3.0		4.61	/	2.53	1.39	/	0.47	***	3.22	WE Credit	WC Credit	WE Credit	WE Credit



No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or quarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Somany Sanitaryware Private Limited Regd.Off .S.No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat File No: IN-1047 Product: Water Efficient Toilets Effective Date: October 01, 2018 Void After: September 30, 2019

0. 11104/	Troduct: Water Efficient Tonets									dive Date. Octor	, = 01, = 010	* ′				
												4	6	3	3	
P-TRAP							23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0	
Atina'	6.0	,	3.0	4 6	,	2 53	1 30	,	0.47		3 22	WE Credit	WC Credit	WE Credit	WE Credit	
	0.0	,	3.0	4.0		2.00	1.07	Ĺ	0.47	~ ~ ~		4	6	3	3	
P-TRAP							23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0	
Mido	6.0	,	3.0	4.61	,	2.53	1.39	,	0.47	***	3 22	WE Credit	WC Credit	WE Credit	WE Credit	
	0.0		3.0	1.0		2.00	1.07		0.17			4	6	3	3	
P-TRAP							23%	/	16%				Points: 2	Points: 0	Points: 0	
Nick	6.0	,	3.0	4.61	1	2.53	1.39	,	0.47	***	3 22	WE Credit	WC Credit	WE Credit	WE Credit	
	0.0	Ĺ					1107	Ĺ	••••			4	6	3	3	
P-TRAP							23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0	
Knov'	6.0	,	3.0	4.61	,	2.53	1.39	,	0.47	***	3 22	WE Credit	WC Credit	WE Credit	WE Credit	
	0.0		3.0	1.0		2.00	1.07		0.17			4	6	3	3	
P-TRAP							23%	/	16%		-		Points: 2		Points: 0	
Kane' '	6.0	,	3.0	4 61	Ι,	2.53	1 30	,	0.47	***	3 22	WE Credit	WC Credit	WE Credit	WE Credit	
карс	0.0		3.0	4.0		2.00	1.07	_	0.47			4	6	3	3	
P-TRAP							23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0	
Rio	6.0	,	3.0	4 61	,	2.53	1 30	,	0.47	***	3 22	WE Credit	WC Credit	WE Credit	WE Credit	
	0.0	′	3.0	7.0	\ <u>'</u>	2.33	1.37		V.T/		J.22	4	6	3	3	
P-TRAP							23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0	
'Kape'	6.0	/	3.0	4.61	/	2.53	1.39	/	0.47	***	3.22	WE Credit	WC Credit	WE Credit	WE Credit	
	Atina' P-TRAP Mido P-TRAP Nick P-TRAP Knox' P-TRAP Kape' ' P-TRAP Rio P-TRAP	Atina' 6.0 P-TRAP Mido 6.0 P-TRAP Nick 6.0 P-TRAP Knox' 6.0 P-TRAP Kape' ' 6.0 P-TRAP Rio 6.0 P-TRAP	Atina' 6.0 / P-TRAP Mido 6.0 / P-TRAP Nick 6.0 / P-TRAP Knox' 6.0 / P-TRAP Kape'' 6.0 / P-TRAP Rio 6.0 / P-TRAP	Atina' 6.0 / 3.0 P-TRAP Mido 6.0 / 3.0 P-TRAP Nick 6.0 / 3.0 P-TRAP Knox' 6.0 / 3.0 P-TRAP Kape' ' 6.0 / 3.0 P-TRAP Rio 6.0 / 3.0 P-TRAP	Atina' 6.0 / 3.0 4.61 P-TRAP Mido 6.0 / 3.0 4.61 P-TRAP Nick 6.0 / 3.0 4.61 P-TRAP Knox' 6.0 / 3.0 4.61 P-TRAP Kape' 6.0 / 3.0 4.61 P-TRAP Rio 6.0 / 3.0 4.61 P-TRAP	Atina' 6.0 / 3.0 4.61 / P-TRAP Mido 6.0 / 3.0 4.61 / P-TRAP Nick 6.0 / 3.0 4.61 / P-TRAP Knox' 6.0 / 3.0 4.61 / P-TRAP Kape' ' 6.0 / 3.0 4.61 / P-TRAP Rio 6.0 / 3.0 4.61 / P-TRAP	Atina' 6.0 / 3.0 4.61 / 2.53 P-TRAP Mido 6.0 / 3.0 4.61 / 2.53 P-TRAP Nick 6.0 / 3.0 4.61 / 2.53 P-TRAP Knox' 6.0 / 3.0 4.61 / 2.53 P-TRAP Kape' ' 6.0 / 3.0 4.61 / 2.53 P-TRAP Rio 6.0 / 3.0 4.61 / 2.53 P-TRAP	Atina' 6.0 / 3.0 4.61 / 2.53 1.39 P-TRAP 23% Mido 6.0 / 3.0 4.61 / 2.53 1.39 P-TRAP 23% Nick 6.0 / 3.0 4.61 / 2.53 1.39 P-TRAP 23% Knox' 6.0 / 3.0 4.61 / 2.53 1.39 P-TRAP 23% Kape' 6.0 / 3.0 4.61 / 2.53 1.39 P-TRAP 23% Rio 6.0 / 3.0 4.61 / 2.53 1.39 P-TRAP 23% P-TRAP 23% Rio 6.0 / 3.0 4.61 / 2.53 1.39 P-TRAP 23%	Atina' 6.0 / 3.0 4.61 / 2.53 1.39 / P-TRAP 23% / Mido 6.0 / 3.0 4.61 / 2.53 1.39 / P-TRAP 23% / Nick 6.0 / 3.0 4.61 / 2.53 1.39 / P-TRAP 23% / Knox' 6.0 / 3.0 4.61 / 2.53 1.39 / P-TRAP 23% / P-TRAP 23% / Rio 6.0 / 3.0 4.61 / 2.53 1.39 / P-TRAP 23% /	Atina' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP 23% / 16% Mido 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP 23% / 16% Nick 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP 23% / 16% Knox' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP 23% / 16% Kape' ' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP 23% / 16% Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP 23% / 16%	Atina' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Mido 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Nick 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Knox' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Kape' ' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP	Atina' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Mido 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Nick 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Knox' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Kape' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 P-TRAP Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 Rio 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47	P-TRAP	P-TRAP Atina' 6.0 / 3.0 4.61 / 2.53 1.39 / 0.47 0.47 0.47 Atina' 3.22 WE Credit 4 WC Credit 4 Geredit 4 Gered	P-TRAP	



No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Somany Sanitaryware Private Limited Regd.Off .S.No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat File No: IN-1047 Product: Water Efficient Toilets Effective Date: October 01, 2018 Void After: September 30, 2019

													,				
	Rimless													4	6	3	3
	P-TRAP								23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0
	Marina'	6.0	,	3.0	4	.61	,	2.53	1.39	,	0.47	***	3.22	WE Credit	WC Credit	WE Credit	WE Credit
38	Maima	0.0		3.0	٠,	.01	,	2.33	1.39	/	0.47		3.22	4	6	3	3
	P-TRAP								23%	/	16%			Points: 0	Points: 2	Points: 0	Points: 0
	'Ardita	6.0	,	3.0	4	.61	,	2.53	1.39	,	0.47	***	3.22	WE Credit	WC Credit	WE Credit	WE Credit
39	Rimless'	0.0	'	3.0	4.	.01	′	2.55	1.39	/	0.47		3.22	4	6	3	3
	P-TRAP								23%	/	16%		•	Points: 0	Points: 2	Points: 0	Points: 0