



IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, 4th floor, PMR Towers, Beretena Agrahara, Near Hosa Road Junction,
Hosur Main Road, Bangalore – 560 100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Watertec (India) Pvt Ltd - Unit- I, 10/60 C, Sengodagoundan Pudur, Sulur Road, Muthugoundan Pudur Post, Coimbatore - 641406

Watertec (India) Pvt Ltd - Unit- III, Sf No. 129/2b, D. No 4/364- 1, Karavali Madhapur Village, Sulur Taluk, Coimbatore – 641668, Tamil Nadu

File No: IN-W 1058

Product: Water Efficient Plumbing Fixtures

Effective Date: November 2019

Void After: November 2020

IDENTIFICATION: Fixtures shall bear permanent legible markings to identify the manufacturer, the trade name, registered trademark, or other mark(s) known to identify the manufacturer. Each fixture and its packaging shall also be marked identifying its water consumption expressed in terms of liters per minute (lpm). All required markings shall be located where they can be readily legible after installation is complete. Fixtures and its packaging shall also bear the WEP-I star rating certification mark.

CHARACTERISTICS: Fixtures shall be installed in accordance with the manufacturer's instructions, and may include bar, kitchen, lavatory, metered/non-metered, handheld spray heads and showerhead fittings.

Sample product listed on this certificate were found compliant to applicable sections of ASME A112.18.1-2018/CSA B125.1-18, met the respective star rating criteria awarded per the 2017 Water Efficient Products – India (WEP-I) specification and, and IGBC and LEED® Green Rating Systems. Sample products were tested by an IAPMO India recognized laboratory that was found compliant to the applicable requirements of ISO/IEC 17025.

K. Chandrasekhar

Dr. K. Chandrasekhar
IAPMO India

Russ Chaney

GP Russ Chaney
CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, 4th floor, PMR Towers, Beretena Agrahara, Near Hosa Road Junction,
Hosur Main Road, Bangalore – 560 100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Watertec (India) Pvt Ltd - Unit- I, 10/60 C, Sengodagoundan Pudur, Sulur Road, Muthugoundan Pudur Post, Coimbatore - 641406

Watertec (India) Pvt Ltd - Unit- III, Sf No. 129/2b, D. No 4/364- 1, Karavali Madhapur Village, Sulur Taluk, Coimbatore – 641668, Tamil Nadu

File No: IN-W 1058

Product: Water Efficient Plumbing Fixtures

Effective Date: November 2019

Void After: November 2020

S.N	Model Number	Description	Water Consumption (Lpm)			2017 WEP-I Star Rating	Green Points Rating System				
			Baseline	Rated	Savings		IGBC		LEED		
							Homes ¹	Factory Bldg ²	CS ³	NC&MR ⁴	
Non - Metered Lavatory Faucet - Private & Public											
1	DFPEVAPTAP009	EVA PILLAR TAP-CHARCOAL	8.00	2.07	5.93	74%	★ ★ ★	4	4	4	4
2	DFPEVAPTAPFCP	EVA PILLAR TAP-FULL CHROME	8.00	2.06	5.94	74%	★ ★ ★	4	4	4	4
3	DFPEVAPTAPHYD	EVA PILLAR TAP-HYBRID	8.00	2.10	5.90	74%	★ ★ ★	4	4	4	4
4	DFPFLOARAPTAPFC	FLORA PILLAR TAP-FULL CHROME	8.00	2.07	5.93	74%	★ ★ ★	4	4	4	4
5	DFPFLOARAPTHYD	FLORA PILLAR TAP-HYBRID	8.00	2.03	5.97	75%	★ ★ ★	4	4	4	4
6	DFPFLOARAPT009	FLORA PILLAR TAP-CHARCOAL	8.00	2.08	5.92	74%	★ ★ ★	4	4	4	4
7	DFPAQUAPTAPFC	AQUA PILLAR TAP-FULL CHROME	8.00	2.11	5.89	74%	★ ★ ★	4	4	4	4
8	DFPAQUAPTHYD	AQUA PILLAR TAP-HYBRID	8.00	2.07	5.93	74%	★ ★ ★	4	4	4	4
9	DFPAQUAPT009	AQUA PILLAR TAP-CHARCOAL	8.00	2.09	5.91	74%	★ ★ ★	4	4	4	4
10	DFPEBONYPTHYD	EBONY PILLAR TAP-HYBRID	8.00	2.12	5.88	74%	★ ★ ★	4	4	4	4
11	DFPEBONYPT009	EBONY PILLAR TAP-CHARCOAL	8.00	2.09	5.91	74%	★ ★ ★	4	4	4	4
12	DFPASPIREPTHYD	ASPIRE PILLAR TAP-HYBRID	8.00	2.08	5.92	74%	★ ★ ★	4	4	4	4
13	DFPASPIREPT009	ASPIRE PILLAR TAP-CHARCOAL	8.00	2.14	5.86	73%	★ ★ ★	4	4	4	4
14	DFPFLOARAS009	FLORA RIGHT ANGLE STOP VALVE-CHARCOAL	8.00	3.54	4.46	56%	★ ★ ★	4	4	4	4
15	DFPEVARASVHYD	EVA RIGHT ANGLE STOP VALVE-HYBRID	8.00	3.55	4.45	56%	★ ★ ★	4	4	4	4

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, 4th floor, PMR Towers, Beretena Agrahara, Near Hosa Road Junction,
Hosur Main Road, Bangalore – 560 100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Watertec (India) Pvt Ltd - Unit- I, 10/60 C, Sengodagoundan Pudur, Sulur Road, Muthugoundan Pudur Post, Coimbatore - 641406

Watertec (India) Pvt Ltd - Unit- III, Sf No. 129/2b, D. No 4/364- 1, Karavali Madhapur Village, Sulur Taluk, Coimbatore – 641668, Tamil Nadu

File No: IN-W 1058

Product: Water Efficient Plumbing Fixtures

Effective Date: November 2019

Void After: November 2020

Model		Water Consumption (Lpm)				2017 WEP-I Star Rating	Green Points Rating System				
S.N	Model Number	Description	Baseline	Rated	Savings		IGBC		LEED		
						Homes ¹	Factory Bldg ²	CS ²	NC&MR ¹		
16	DFPEVARASV009	EVA RIGHT ANGLE STOP VALVE-CHARCOAL	8.00	3.55	4.45	56%	★ ★ ★	4	4	4	4
17	DFPFLORARASHYD	FLORA RIGHT ANGLE STOP VALVE-HYBRID	8.00	3.51	4.49	56%	★ ★ ★	4	4	4	4
18	DFPAQUARASHYD	AQUA RIGHT ANGLE STOP VALVE-HYBRID	8.00	3.57	4.43	55%	★ ★ ★	4	4	4	4
19	DFPAQUARAS009	AQUA RIGHT ANGLE STOP VALVE-CHARCOAL	8.00	3.52	4.48	56%	★ ★ ★	4	4	4	4
20	DFPEBONYRASHYD	EBONY RIGHT ANGLE STOP VALVE- HYBRID	8.00	3.61	4.39	55%	★ ★ ★	4	4	4	4
21	DFPEBONYRAS09	EBONY RIGHT ANGLE STOP VALVE- CHARCOAL	8.00	3.52	4.48	56%	★ ★ ★	4	4	4	4
22	DFPASPIRRASHYD	ASPIRE RIGHT ANGLE STOP VALVE- HYBRID	8.00	3.62	4.38	55%	★ ★ ★	4	4	4	4
23	DFPASPIRERAS09	ASPIRE RIGHT ANGLE STOP VALVE- CHARCOAL	8.00	3.60	4.40	55%	★ ★ ★	4	4	4	4
24	DFPAQUA2WBT09	AQUA TWO WAY BIP TAP-CHARCOAL	8.00	3.69	4.31	54%	★ ★ ★	4	4	4	4
25	DFP2WAYBTAPHYD	EVA TWO WAY BIP TAP-HYBRID	8.00	3.72	4.28	54%	★ ★ ★	4	4	4	4
26	DFPEVA2WBT009	EVA TWO WAY BIP TAP-CHARCOAL	8.00	3.73	4.27	53%	★ ★ ★	4	4	4	4
27	DFPFLRA2WBTHYD	FLORA TWO WAY BIP TAP-HYBRID	8.00	3.74	4.26	53%	★ ★ ★	4	4	4	4
28	DFPFLRA2WBT009	FLORA TWO WAY BIP TAP-CHARCOAL	8.00	3.67	4.33	54%	★ ★ ★	4	4	4	4
29	DFPAQUA2WBTHYD	AQUA TWO WAY BIP TAP-HYBRID	8.00	3.73	4.27	53%	★ ★ ★	4	4	4	4
30	DFPEVABIBTCHR	EVA BIB TAP - CHARCOAL	8.00	3.74	4.26	53%	★ ★ ★	4	4	4	4
31	DFPFLRBIBTCHR	FLORA BIB TAP - CHARCOAL	8.00	3.77	4.23	53%	★ ★ ★	4	4	4	4
32	DFPAQABIBTCHR	AQUA BIB TAP - CHARCOAL	8.00	3.78	4.22	53%	★ ★ ★	4	4	4	4

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, 4th floor, PMR Towers, Beretena Agrahara, Near Hosa Road Junction,
Hosur Main Road, Bangalore – 560 100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Watertec (India) Pvt Ltd - Unit- I, 10/60 C, Sengodagoundan Pudur, Sulur Road, Muthugoundan Pudur Post, Coimbatore - 641406

Watertec (India) Pvt Ltd - Unit- III, Sf No. 129/2b, D. No 4/364- 1, Karavali Madhapur Village, Sulur Taluk, Coimbatore – 641668, Tamil Nadu

File No: IN-W 1058

Product: Water Efficient Plumbing Fixtures

Effective Date: November 2019

Void After: November 2020

S.N	Model Number	Description	Water Consumption (Lpm)				2017 WEP-I Star Rating	Green Points Rating System			
			Baseline	Rated	Savings	IGBC		LEED			
						Homes ¹		Factory Bldg ²	CS ³	NC&MR ⁴	
Non - Metered Lavatory Faucet - Private & Public											
33	DFPM2W10A009	M SERIES BIP TAP (CHAR)	8.00	3.73	4.27	53%	★ ★ ★	4	4	4	4
34	DFPM2W10A001	M SERIES BIP TAP (WHITE)	8.00	3.73	4.27	53%	★ ★ ★	4	4	4	4
35	DFPM2W10A002	M SERIES BIB TAP (AL)	8.00	3.75	4.25	53%	★ ★ ★	4	4	4	4
36	DFPM2W10A003	M SERIES BIP TAP (APR)	8.00	3.76	4.24	53%	★ ★ ★	4	4	4	4
37	DFPM2W10A005	M SERIES BIP TAP (GREEN)	8.00	3.74	4.26	53%	★ ★ ★	4	4	4	4
38	DFPM2W10A006	M SERIES BIP TAP (L.BLUE)	8.00	3.72	4.28	54%	★ ★ ★	4	4	4	4
39	DFPM2W10A007	M SERIES BIP TAP (BUR)	8.00	3.80	4.20	53%	★ ★ ★	4	4	4	4
40	DFPM0010Q001	M SERIES 180MM LONG BODY BIB TAP (WH)	8.00	4.01	3.99	50%	★ ★ ★	4	4	4	4
41	DFPM0010Q002	M SERIES 180MM LONG BODY BIB TAP (AL)	8.00	4.00	4.00	50%	★ ★ ★	4	4	4	4
42	DFPM0010Q003	M SERIES 180MM LONG BODY BIB TAP (AP)	8.00	4.05	3.95	49%	★ ★ ★	4	4	4	4
43	DFPM0010Q005	M SERIES 180MM LONG BODY BIB TAP (GRN)	8.00	4.04	3.96	50%	★ ★ ★	4	4	4	4
44	DFPM0010Q006	M SERIES 180MM LONG BODY BIB TAP (LB)	8.00	4.01	3.99	50%	★ ★ ★	4	4	4	4
45	DFPM0010Q007	M SERIES 180MM LONG BODY BIB TAP (BUR)	8.00	4.05	3.95	49%	★ ★ ★	2	2	2	2
46	DFPM0010Q009	M SERIES 180MM LONG BODY BIB TAP (CH)	8.00	4.07	3.93	49%	★ ★ ★	4	4	4	4
47	DFPM0T10B009	M SERIES PILLAR TAP (CHAR)	8.00	4.12	3.88	49%	★ ★ ★	4	4	4	4
48	DFPM0T10B001	M SERIES PILLAR TAP (WHITE)	8.00	4.10	3.90	49%	★ ★ ★	4	4	4	4

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, 4th floor, PMR Towers, Beretena Agrahara, Near Hosa Road Junction,
Hosur Main Road, Bangalore – 560 100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Watertec (India) Pvt Ltd - Unit- I, 10/60 C, Sengodagoundan Pudur, Sulur Road, Muthugoundan Pudur Post, Coimbatore - 641406
Watertec (India) Pvt Ltd - Unit- III, Sf No. 129/2b, D. No 4/364- 1, Karavali Madhapur Village, Sulur Taluk, Coimbatore – 641668, Tamil Nadu

File No: IN-W 1058 Product: Water Efficient Plumbing Fixtures Effective Date: November 2019 Void After: November 2020

Model		Water Consumption (Lpm)				2017 WE P-I Star Rating	Green Points Rating System				
S.N	Model Number	Description	Baseline	Rated	Savings		Rating	IGBC		LEED	
								Homes ¹	Factory Bldg ²	CS ³	NC&MR ⁴
49	DFPM0T10B002	M SERIES PILLAR TAP (AL)	8.00	4.07	3.93	49%	★ ★ ★	4	4	4	4
50	DFPM0T10B003	M SERIES PILLAR TAP (APR)	8.00	4.08	3.92	49%	★ ★ ★	4	4	4	4
51	DFPM0T10B005	M SERIES PILLAR TAP (GREEN)	8.00	4.12	3.88	49%	★ ★ ★	4	4	4	4
52	DFPM0T10B006	M SERIES PILLAR TAP (L.BLUE)	8.00	4.10	3.90	49%	★ ★ ★	4	4	4	4
53	DFPM0T10B007	M SERIES PILLAR TAP (BUR)	8.00	4.14	3.86	48%	★ ★ ★	4	4	4	4
54	DFPOW10PPT01	PREMIUM PILLAR TAP (WHITE)	8.00	4.26	3.74	47%	★ ★ ★	4	4	4	4
55	DFPOW10PPT02	PREMIUM PILLAR TAP (AL)	8.00	4.32	3.68	46%	★ ★ ★	4	4	4	4
56	DFPOW10PPT09	PREMIUM PILLAR TAP (CHAR)	8.00	4.27	3.73	47%	★ ★ ★	4	4	4	4
57	DFPM0W10J009	M SERIES 2 WAY BIB TAP (CHAR)	8.00	4.02	3.98	50%	★ ★ ★	4	4	4	4
58	DFPM0W10J001	M SERIES 2 WAY BIB TAP (WH)	8.00	4.01	3.99	50%	★ ★ ★	4	4	4	4
59	DFPM0W10J002	M SERIES 2 WAY BIB TAP (AL)	8.00	4.04	3.96	50%	★ ★ ★	4	4	4	4
60	DFPM0W10J003	M SERIES 2 WAY BIB TAP (AP)	8.00	3.98	4.02	50%	★ ★ ★	4	4	4	4
61	DFPM0W10J005	M SERIES 2 WAY BIB TAP (GRN)	8.00	4.05	3.95	49%	★ ★ ★	4	4	4	4
62	DFPM0W10J006	M SERIES 2 WAY BIB TAP (LB)	8.00	4.03	3.97	50%	★ ★ ★	4	4	4	4
63	DFPM0W10J007	M SERIES 2 WAY BIB TAP (BUR)	8.00	3.98	4.02	50%	★ ★ ★	4	4	4	4
64	DFPM1020A001	M SERIES RIGHT ANGLE STOP VALVE (WHITE)	8.00	4.11	3.89	49%	★ ★ ★	4	4	4	4
65	DFPM1020A002	M SERIES RIGHT ANGLE STOP VALVE (AL)	8.00	4.06	3.94	49%	★ ★ ★	4	4	4	4
66	DFPM1020A003	M SERIES RIGHT ANGLE STOP VALVE (APR)	8.00	4.07	3.93	49%	★ ★ ★	4	4	4	4
67	DFPM1020A005	M SERIES RIGHT ANGLE STOP VALVE (GREEN)	8.00	4.05	3.95	49%	★ ★ ★	4	4	4	4
68	DFPM1020A006	M SERIES RIGHT ANGLE STOP VALVE (L.BLUE)	8.00	4.11	3.89	49%	★ ★ ★	4	4	4	4
69	DFPM1020A007	M SERIES RIGHT ANGLE STOP VALVE (BUR)	8.00	4.00	4.00	50%	★ ★ ★	4	4	4	4
70	DFPM1020A009	M SERIES RIGHT ANGLE STOP VALVE (CHAR)	8.00	4.02	3.98	50%	★ ★ ★	4	4	4	4

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, 4th floor, PMR Towers, Beretena Agrahara, Near Hosa Road Junction,
Hosur Main Road, Bangalore – 560 100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Watertec (India) Pvt Ltd - Unit- I, 10/60 C, Sengodagoundan Pudur, Sulur Road, Muthugoundan Pudur Post, Coimbatore - 641406
Watertec (India) Pvt Ltd - Unit- III, Sf No. 129/2b, D. No 4/364- 1, Karavali Madhapur Village, Sulur Taluk, Coimbatore – 641668, Tamil Nadu

File No: IN-W 1058 Product: Water Efficient Plumbing Fixtures Effective Date: November 2019 Void After: November 2020

S.N	Model Number	Description	Water Consumption (Lpm)			2017 WEP-I Star Rating	Green Points Rating System				
			Baseline	Rated	Savings		IGBC		LEED		
							Homes ¹	Factory Bldg ²	CS ²	NC&MR ³	
Sink Faucets											
71	DFPEVAWSTLS09	EVA WALLSINK TAP LONG SPOUT-CHARCOAL	8.00	3.99	4.01	50%	★ ★ ★	4	4	4	4
72	DFPWSTAPLSHYD	EVA WALLSINK TAP LONG SPOUT-HYBRID	8.00	4.01	3.99	50%	★ ★ ★	4	4	4	4
73	DFPFLRAWSTHYD	FLORA WALLSINK TAP LONG SPOUT-HYBRID	8.00	4.00	4.00	50%	★ ★ ★	4	4	4	4
74	DFPFLRAWST009	FLORA WALLSINK TAP LONG SPOUT-CHARCOAL	8.00	3.96	4.04	51%	★ ★ ★	4	4	4	4
75	DFPAQUAWSTHYD	AQUA WALLSINK TAP LONG SPOUT-HYBRID	8.00	3.99	4.01	50%	★ ★ ★	4	4	4	4
76	DFPAQUAWST09	AQUA WALLSINK TAP LONG SPOUT-CHARCOAL	8.00	4.00	4.00	50%	★ ★ ★	4	4	4	4
77	DFPM1W10SS09	M SERIES WALL SINK TAP SHORT SPOUT- CHARCOAL	8.00	3.94	4.06	51%	★ ★ ★	4	4	4	4
78	DFPM1W10SS01	M SERIES WALL SINK TAP SHORT SPOUT (WH)	8.00	4.00	4.00	50%	★ ★ ★	4	4	4	4
79	DFPM1W10SS02	M SERIES WALL SINK TAP SHORT SPOUT (AL)	8.00	3.99	4.01	50%	★ ★ ★	4	4	4	4
80	DFPM1W10SS03	M SERIES WALL SINK TAP SHORT SPOUT(APR)	8.00	3.96	4.04	51%	★ ★ ★	4	4	4	4
81	DFPM1W10SS05	M SERIES WALL SINK TAP SHORT SPOUT(GRN)	8.00	3.98	4.02	50%	★ ★ ★	4	4	4	4
82	DFPM1W10SS06	M SERIES WALL SINK TAP SHORT SPOUT(LB)	8.00	4.05	3.95	49%	★ ★ ★	4	4	4	4
83	DFPM1W10SS07	M SERIES WALL SINK TAP SHORT SPOUT(BUR)	8.00	4.03	3.97	50%	★ ★ ★	4	4	4	4
84	DFPM1W10C009	M SERIES WALL SINKTAP LONG SPOUT - CHARCOAL	8.00	3.99	4.01	50%	★ ★ ★	4	4	4	4
85	DFPM1W10C001	M SERIES WALL SINKTAP LONG SPOUT (WH)	8.00	4.01	3.99	50%	★ ★ ★	4	4	4	4
86	DFPM1W10C002	M SERIES WALL SINKTAP LONG SPOUT (AL)	8.00	4.02	3.98	50%	★ ★ ★	4	4	4	4
87	DFPM1W10C003	M SERIES WALL SINKTAP LONG SPOUT (APR)	8.00	4.05	3.95	49%	★ ★ ★	4	4	4	4
88	DFPM1W10C005	M SERIES WALL SINKTAP LONG SPOUT (GREEN)	8.00	3.99	4.01	50%	★ ★ ★	4	4	4	4
89	DFPM1W10C006	M SERIES WALL SINKTAP LONG SPOUT (L.BLUE)	8.00	4.04	3.96	50%	★ ★ ★	4	4	4	4

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, 4th floor, PMR Towers, Beretena Agrahara, Near Hosa Road Junction,
Hosur Main Road, Bangalore – 560 100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Watertec (India) Pvt Ltd - Unit- I, 10/60 C, Sengodagoundan Pudur, Sulur Road, Muthugoundan Pudur Post, Coimbatore - 641406

Watertec (India) Pvt Ltd - Unit- III, Sf No. 129/2b, D. No 4/364- 1, Karavali Madhapur Village, Sulur Taluk, Coimbatore – 641668, Tamil Nadu

File No: IN-W 1058

Product: Water Efficient Plumbing Fixtures

Effective Date: November 2019

Void After: November 2020

Model			Water Consumption (Lpm)				2017 WEP-I Star Rating	Green Points Rating System			
S.N	Model Number	Description	Baseline	Rated	Savings		Rating	IGBC		LEED	
								Homes ¹	Factory Bldg ²	CS ³	NC&MR ⁴
90	DFPM1W10C007	M SERIES WALL SINKTAP LONG SPOUT (BUR)	8.00	4.03	3.97	50%	★ ★ ★	4	4	4	4
91	DFPM1T10SS09	M SERIES SINK TAP TABLE TOP SHORT SPOUT (CHAR)	8.00	4.02	3.98	50%	★ ★ ★	4	4	4	4
92	DFPM1T10SS01	M SERIES SINK TAP TABLE TOP SHORT SPOUT (WH)	8.00	4.03	3.97	50%	★ ★ ★	4	4	4	4
93	DFPM1T10SS02	M SERIES SINK TAP TABLE TOP SHORT SPOUT (AL)	8.00	4.04	3.96	50%	★ ★ ★	4	4	4	4
94	DFPM1T10SS03	M SERIES SINK TAP TABLE TOP SHORT SPOUT (APR)	8.00	3.99	4.01	50%	★ ★ ★	4	4	4	4
95	DFPM1T10SS05	M SERIES SINK TAP TABLE TOP SHORT SPOUT (GRN)	8.00	4.04	3.96	50%	★ ★ ★	4	4	4	4
96	DFPM1T10SS06	M SERIES SINK TAP TABLE TOP SHORT SPOUT (LB)	8.00	4.00	4.00	50%	★ ★ ★	4	4	4	4
97	DFPM1T10SS07	M SERIES SINK TAP TABLE TOP SHORT SPOUT (BUR)	8.00	4.03	3.97	50%	★ ★ ★	4	4	4	4
98	DFPM1T10C009	M SERIES SINKTAP TT LONGSPOUT (CHAR)	8.00	4.02	3.98	50%	★ ★ ★	4	4	4	4
99	DFPM1T10C001	M SERIES SINKTAP TT LONGSPOUT (WH)	8.00	4.07	3.93	49%	★ ★ ★	4	4	4	4
100	DFPM1T10C003	M SERIES SINKTAP TT LONGSPOUT (APR)	8.00	4.04	3.96	50%	★ ★ ★	4	4	4	4
101	DFPM1T10C005	M SERIES SINKTAP TT LONGSPOUT (GREEN)	8.00	3.99	4.01	50%	★ ★ ★	4	4	4	4
102	DFPM1T10C006	M SERIES SINKTAP TT LONGSPOUT (L.BLUE)	8.00	3.97	4.03	50%	★ ★ ★	4	4	4	4
103	DFPM1T10C007	M SERIES SINKTAP TT LONGSPOUT (BUR)	8.00	4.03	3.97	50%	★ ★ ★	4	4	4	4
104	DFPM1T10C002	M SERIES SINKTAP TT LONGSPOUT (AL)	8.00	4.04	3.96	50%	★ ★ ★	4	4	4	4

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, 4th floor, PMR Towers, Beretena Agrahara, Near Hosa Road Junction,
Hosur Main Road, Bangalore – 560 100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Watertec (India) Pvt Ltd - Unit- I, 10/60 C, Sengodagoundan Pudur, Sulur Road, Muthugoundan Pudur Post, Coimbatore - 641406

Watertec (India) Pvt Ltd - Unit- III, Sf No. 129/2b, D. No 4/364- 1, Karavali Madhapur Village, Sulur Taluk, Coimbatore – 641668, Tamil Nadu

File No: IN-W 1058

Product: Water Efficient Plumbing Fixtures

Effective Date: November 2019

Void After: November 2020

S.N	Model Number	Description	Water Consumption (Lpm)			2017 WEP-I Star Rating	Green Points Rating System				
			Baseline	Rated	Savings		IGBC		LEED		
							Homes ¹	Factory Bldg ²	CS ³	NC&MR ⁴	
Shower Heads											
105	DFPSHWR5AFULLCR	SHOWER 5 A (FULL CHROME)	9.50	3.99	5.51	58%	★ ★ ★	4	4	4	4
106	DFPSHWR5AHYBRID	SHOWER 5 A (HYBRID)	9.50	4.07	5.43	57%	★ ★ ★	4	4	4	4
107	DFP01W30A001	SHOWER 5A (WHITE)	9.50	4.03	5.47	58%	★ ★ ★	4	4	4	4
108	DFP01W30A002	SHOWER 5A (AL)	9.50	4.04	5.46	57%	★ ★ ★	4	4	4	4
109	DFP01W30A003	SHOWER 5A (APR)	9.50	4.01	5.49	58%	★ ★ ★	4	4	4	4
110	DFP01W30A005	SHOWER 5A (GREEN)	9.50	3.97	5.53	58%	★ ★ ★	4	4	4	4
111	DFP01W30A006	SHOWER 5A (L.BLUE)	9.50	3.97	5.53	58%	★ ★ ★	4	4	4	4
112	DFP01W30A007	SHOWER 5A (BUR)	9.50	4.05	5.45	57%	★ ★ ★	4	4	4	4
113	DFPSHWR8AFULLCR	SHOWER 8 A (FULL CHROME)	9.50	3.99	5.51	58%	★ ★ ★	4	4	4	4
114	DFPSHWR8AHYBRID	SHOWER 8 A (HYBRID)	9.50	4.01	5.49	58%	★ ★ ★	4	4	4	4
115	DFP01W30B001	SHOWER 8A (WHITE)	9.50	3.98	5.52	58%	★ ★ ★	4	4	4	4
116	DFP01W30B002	SHOWER 8A (AL)	9.50	4.01	5.49	58%	★ ★ ★	4	4	4	4
117	DFP01W30B003	SHOWER 8A (APR)	9.50	4.02	5.48	58%	★ ★ ★	4	4	4	4
118	DFP01W30B005	SHOWER 8A (GREEN)	9.50	3.99	5.51	58%	★ ★ ★	4	4	4	4
119	DFP01W30B006	SHOWER 8A (L.BLUE)	9.50	3.97	5.53	58%	★ ★ ★	4	4	4	4
120	DFP01W30B007	SHOWER 8A (BUR)	9.50	4.02	5.48	58%	★ ★ ★	4	4	4	4

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, 4th floor, PMR Towers, Beretena Agrahara, Near Hosa Road Junction,
Hosur Main Road, Bangalore – 560 100



CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Licensee: Watertec (India) Pvt Ltd - Unit- I, 10/60 C, Sengodagoundan Pudur, Sulur Road, Muthugoundan Pudur Post, Coimbatore - 641406

Watertec (India) Pvt Ltd - Unit- III, Sf No. 129/2b, D. No 4/364- 1, Karavali Madhapur Village, Sulur Taluk, Coimbatore – 641668, Tamil Nadu

File No: IN-W 1058

Product: Water Efficient Plumbing Fixtures

Effective Date: November 2019

Void After: November 2020

S.N	Model Number	Description	Water Consumption (Lpm)				2017 WEP-I Star Rating	Green Points Rating System			
			Baseline	Rated	Savings			IGBC		LEED	
					Homes ¹	Factory Bldg ²		CS ³	NC&MR ⁴		
Handheld Ablution Spray											
121	DFPICONHF01HFH	ICON H.FAUCET 1MTR FLEXI M.HOSE -HYBRID	8.00	3.96	4.04	51%	★ ★ ★	4	4	4	4
122	DFPICONHF15HFH	ICON H.FAUCET 1.5MTR FLEXI M.HOSE-HYBRID	8.00	3.98	4.02	50%	★ ★ ★	4	4	4	4
123	DFPICONHF01HBH	ICON H.FAUCET 1MTR BRAIDED M.HOSE-HYBRID	8.00	3.96	4.04	51%	★ ★ ★	4	4	4	4
124	DFPICONHF15HBH	ICON H.FAUCET 1.5MTR BRAID M.HOSE-HYBRID	8.00	3.98	4.02	50%	★ ★ ★	4	4	4	4
125	DFP30PH10F01	ICON HEALTH FAUCET 1 MTR (WH)	8.00	4.00	4.00	50%	★ ★ ★	4	4	4	4
126	DFP30PH15F01	ICON HEALTH FAUCET 1.5 MTR (WH)	8.00	4.02	3.98	50%	★ ★ ★	4	4	4	4
127	DFP30PH10F02	ICON HEALTH FAUCET 1 MTR (AL)	8.00	4.03	3.97	50%	★ ★ ★	4	4	4	4
128	DFP30PH15F02	ICON HEALTH FAUCET 1.5 MTR (AL)	8.00	4.04	3.96	50%	★ ★ ★	4	4	4	4
129	DFP00030F001	WATERLINE HEALTH FAUCET 1MTR (WHITE)	8.00	3.99	4.01	50%	★ ★ ★	4	4	4	4
130	DFP00030F002	WATERLINE HEALTH FAUCET 1MTR (AL)	8.00	4.01	3.99	50%	★ ★ ★	4	4	4	4
131	DFP00030F003	WATERLINE HEALTH FAUCET 1MTR (APR)	8.00	4.02	3.98	50%	★ ★ ★	4	4	4	4
132	DFP00030F005	WATERLINE HEALTH FAUCET 1MTR (GREEN)	8.00	3.97	4.03	50%	★ ★ ★	4	4	4	4
133	DFP00030F006	WATERLINE HEALTH FAUCET 1MTR (L.BLUE)	8.00	3.94	4.06	51%	★ ★ ★	4	4	4	4
134	DFP00030F007	WATERLINE HEALTH FAUCET 1MTR (BUR)	8.00	3.98	4.02	50%	★ ★ ★	4	4	4	4
135	DFP00030F009	WATERLINE HEALTH FAUCET 1MTR (CHAR)	8.00	4.03	3.97	50%	★ ★ ★	4	4	4	4
136	DFP00030G002	WATERLINE HEALTH FAUCET 1.5MTR (AL)	8.00	3.96	4.04	51%	★ ★ ★	4	4	4	4
137	DFP00030G003	WATERLINE HEALTH FAUCET 1.5MTR (APR)	8.00	4.03	3.97	50%	★ ★ ★	4	4	4	4
138	DFP00030G005	WATERLINE HEALTH FAUCET 1.5MTR (GREEN)	8.00	4.08	3.92	49%	★ ★ ★	4	4	4	4
139	DFP00030G006	WATERLINE HEALTH FAUCET 1.5MTR (L.BLUE))	8.00	4.05	3.95	49%	★ ★ ★	4	4	4	4
140	DFP00030G007	WATERLINE HEALTH FAUCET 1.5MTR (BUR)	8.00	4.01	3.99	50%	★ ★ ★	4	4	4	4
141	DFP00030G009	WATERLINE HEALTH FAUCET 1.5MTR (CHAR)	8.00	4.09	3.91	49%	★ ★ ★	4	4	4	4
142	DFP00030G001	WATERLINE HEALTH FAUCET 1.5MTR (WHITE)	8.00	4.06	3.94	49%	★ ★ ★	4	4	4	4

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.