



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

**IDENTIFICATION:** Fittings shall bear permanent legible markings to identify the manufacturer, the trade name, registered trademark, or other mark(s) known to identify the manufacturer. Each fitting and its packaging shall also be marked identifying its water consumption expressed in terms of liters per minute (Lpm). All required markings shall be located where they can be readily legible after installation is complete. Fittings and its packaging shall also bear the Classified WEP-I triangular star rating certification mark.

The manufacturer's name or registered trademark, or, in the case of private labeling, the name of the customer for whom the fixture was manufactured, shall be permanently applied to be legible and visible after installation. The model number of each water closet, or bowl and tank model numbers (in the case of close-coupled water closets) shall be applied on each component so as to be legible and visible after installation.

Each water closet shall be marked, identifying the water consumption of the fixture. This disclosure shall be expressed in terms of liters per flush as follows:

- (a) 4.8 Lpf, or the actual tested water consumption, if lower, for high-efficiency water closets;
- (b) 6.0 Lpf, or the actual tested water consumption, if lower, for low consumption water closets.

Each Gravity flush tank shall be permanently marked by the manufacturer with a water level mark, or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the vitreous body in the tank, the tank liner, or the flush-valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm.

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging for vitreous plumbing fixtures shall be marked with the manufacturer's name or registered trademark, or, in case of private labeling, the name of the customer for whom the fixture was manufactured, and the model number of the fixture. Listed products and its packaging shall bear the Classified WEP-I triangular star rating certification mark with or without the term 'GREEN' on top of the mark.

**CHARACTERISTICS:** Fittings shall be installed in accordance with the manufacturer's instructions, and may include bar, kitchen, lavatory, metered/non-metered, handheld spray heads and showerhead fittings.

Products listed on this certificate were found compliant to the 2017 Water Efficient Products – India (WEP-I) specification and applicable sections of ASME A112.18.1-2018/CSA B125.1-18, and IGBC & LEED® Green Rating Systems. Sample products were tested by an IAPMO India recognized laboratory that was found compliant to the applicable requirements of ISO/IEC 17025.

Water closets equipped with a dual flushing device are to be installed to the manufacturer's instructions and requirements.

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

Products listed on this certificate were found compliant to 2017 Water Efficient Products – India (WEP-I) specification and to applicable sections of standard ASME A112.19.2-2013/CSA B45.1-13 with Update No. 1, and standard ASME A112.19.14-2013, the 2019 WE-STAND – India, and IGBC and LEED® Green Rating Systems. Sample models listed on this certificate were tested by an IAPMO India recognized laboratory that was found compliant to applicable requirements in ISO/IEC 17025.

Dr. K. Chandrasekhar  
IAPMO India

GP Russ Chaney  
CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| Type                                      | Faucet Product |                             | Water Consumption (Lpm) |       |         |      | 2017 WEP-<br>I Star<br>Rating | Green Points Rating System |                 |                    |   |
|---|----------------|-----------------------------|-------------------------|-------|---------|------|-------------------------------|----------------------------|-----------------|--------------------|---|
|   | Series         | Code                        | Baseline                | Rated | Savings | IGBC |                               | LEED                       |                 |                    |   |
|   |                |                             |                         |       |         |      | Homes <sup>1</sup>            | Factory Bldg <sup>2</sup>  | CS <sup>3</sup> | NC&MR <sup>4</sup> |   |
| Bib Cock                                  | Dzire          | F2011151CHMA                | 8.00                    | 5.0   | 3.00    | 38%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | Perla          | F1012151CHMA                | 8.00                    | 5.0   | 3.00    | 38%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
| Bib Cock Long Body                        | -              | F2002152 (FWCL204)          | 8.00                    | 5.0   | 3.00    | 38%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
| Centre Hole Basin Mixer                   | Crayon         | F2008461CHMA                | 8.00                    | 4.9   | 3.10    | 39%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
| Concealed Body with Bath Tub Spout        | Perla          | F4010106CHMA + F1012661CHMA | 8.00                    | 4.8   | 3.20    | 40%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | Valentina      | 4010107CHMA + F1013661CHMA  | 8.00                    | 4.8   | 3.20    | 40%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
| Concealed Diverter                        | Common         | F4010101CHMA                | 8.00                    | 4.9   | 3.10    | 39%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | Common         | F4010105CHMA                | 8.00                    | 5.0   | 3.05    | 38%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
| Pillar cock                               | Crayon         | F2008101CHMA                | 8.00                    | 4.9   | 3.10    | 39%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | Dzire          | F2011101CHMA                | 8.00                    | 4.8   | 3.20    | 40%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | Gayle          | F1014101CHMA                | 8.00                    | 4.9   | 3.13    | 39%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | Perla          | F1012101CHMA                | 8.00                    | 4.9   | 3.10    | 39%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | Valentina      | F1013101CHMA                | 8.00                    | 4.9   | 3.10    | 39%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | -              | F1005101 (FWCS501A)         | 8.00                    | 5.0   | 3.00    | 38%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | -              | F2002101 (FWCL201)          | 8.00                    | 4.8   | 3.20    | 40%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
| SLBM with provision for pop-up            | -              | F1005452 (FWCS515H)         | 8.00                    | 4.8   | 3.20    | 40%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
| SLWM with provision for telephonic shower | -              | F1005424 (FWCS516)          | 8.00                    | 4.8   | 3.20    | 40%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
|   | -              | F1007414 (FWCS712)          | 8.00                    | 5.0   | 3.00    | 38%  | ★ ★                           | 4                          | 4               | 4                  | 4 |
| Spatula single lever faucet               | -              | F9030451 (FWCQ515)          | 8.00                    | 4.8   | 3.20    | 40%  | ★ ★                           | 4                          | 4               | 4                  | 4 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| Type                         | Faucet Product     |                     | Water Consumption (Lpm) |         |      |     | 2017 WEP-<br>1 Star<br>Rating | Green Points Rating System |                           |                 |                    |
|------------------------------|--------------------|---------------------|-------------------------|---------|------|-----|-------------------------------|----------------------------|---------------------------|-----------------|--------------------|
|                              |                    |                     |                         |         |      |     |                               | IGBC                       |                           | LEED            |                    |
|                              |                    |                     |                         |         |      |     |                               | Homes <sup>1</sup>         | Factory Bldg <sup>2</sup> | CS <sup>3</sup> | NC&MR <sup>4</sup> |
| Series                       | Code               | Baseline            | Rated                   | Savings |      |     |                               |                            |                           |                 |                    |
| Wall mixer                   | Crayon             | F2008401CHMA        | 8.00                    | 4.9     | 3.12 | 39% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Dzire              | F2011401CHMA        | 8.00                    | 5.0     | 3.00 | 38% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Perla              | F1012401CHMA        | 8.00                    | 5.0     | 3.00 | 38% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
| Wall mounted SLBM with spout | -                  | F1005471 (FWCS543)  | 8.00                    | 5.0     | 3.00 | 38% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
| Single Lever Basin Mixer     | Dzire              | F2011461CHMA        | 8.00                    | 5.0     | 3.00 | 38% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Gayle              | F1014451CHMA        | 8.00                    | 4.9     | 3.15 | 39% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Perla              | F1012451CHMA        | 8.00                    | 4.8     | 3.20 | 40% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Valentina          | F1013451CHMA        | 8.00                    | 5.0     | 3.00 | 38% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Valentina          | F1013452CHMA        | 8.00                    | 4.8     | 3.20 | 40% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | -                  | F1001451 (FWCS130A) | 8.00                    | 4.8     | 3.20 | 40% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | -                  | F1002451 (FWCS230A) | 8.00                    | 5.0     | 3.00 | 38% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
| -                            | F1007451 (FWCS715) | 8.00                | 5.0                     | 3.00    | 38%  | ★ ★ | 4                             | 4                          | 4                         | 4               |                    |
| Single Lever Sink Mixer      | Valentina          | F1013551CHMA        | 8.00                    | 5.0     | 3.00 | 38% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
| Single Lever Wall Mixer      | Gayle              | F1014414CHMA        | 8.00                    | 4.8     | 3.20 | 40% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Valentina          | F1013414CHMA        | 8.00                    | 5.0     | 3.00 | 38% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
| Sink Cock                    | Dzire              | F2011261CHMA        | 8.00                    | 4.8     | 3.20 | 40% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Dzire              | F2011511CHMA        | 8.00                    | 4.9     | 3.10 | 39% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Perla              | F1012261CHMA        | 8.00                    | 5.0     | 3.00 | 38% | ★ ★                           | 4                          | 4                         | 4               | 4                  |
|                              | Perla              | F1012511CHMA        | 8.00                    | 4.9     | 3.10 | 39% | ★ ★                           | 4                          | 4                         | 4               | 4                  |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| Faucet Product                          |             |            | Water Consumption (Lpm) |       |         |                    | 2017 WEP-<br>I Star<br>Rating | Green Points Rating System |                 |                    |   |
|---|-------------|------------|-------------------------|-------|---------|--------------------|-------------------------------|----------------------------|-----------------|--------------------|---|
| Type                                    | Series      | Code       | Baseline                | Rated | Savings | Homes <sup>1</sup> |                               | Factory Bldg <sup>2</sup>  | CS <sup>3</sup> | NC&MR <sup>4</sup> |   |
| RIPPLE PILLAR COCK                      | CERA/RIPPLE | F1017101CH | 8.00                    | 3.3   | 4.70    | 59%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE PILLAR COCK EXTENDED BODY        |             | F1017102CH | 8.00                    | 3.2   | 4.80    | 60%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE BIB COCK SHORT BODY              |             | F1017151CH | 8.00                    | 3.2   | 4.80    | 60%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE BIB COCK LONG BODY               |             | F1017152CH | 8.00                    | 3.3   | 4.70    | 59%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE SINK COCK WALL MOUNTED           |             | F1017251CH | 8.00                    | 3.2   | 4.80    | 60%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE WM WITH LONG BEND PIPE FOR OHS   |             | F1017401CH | 8.00                    | 3.3   | 4.70    | 59%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE WM WITH LONG BEND PIPE FOR OHS   |             | F1017402CH | 8.00                    | 3.3   | 4.70    | 59%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE SINGLE LEVER BASIN MEXER         |             | F1017451CH | 8.00                    | 3.3   | 4.70    | 59%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE SL BASIN MIXER WITH EXTD. HEIGHT |             | F1017452CH | 8.00                    | 3.2   | 4.80    | 60%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE WALL MOUNTED S LEVER BASIN MIXER |             | F1017471CH | 8.00                    | 3.2   | 4.80    | 60%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE SINK MIXER WALL MOUNTED          |             | F1017501CH | 8.00                    | 3.3   | 4.70    | 59%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE SL SINK MIXER TABLE MOUNTED      |             | F1017551CH | 8.00                    | 3.3   | 4.70    | 59%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |
| RIPPLE BATH TUB SPOUT                   |             | F1017661CH | 8.00                    | 3.3   | 4.70    | 59%                | ☆☆☆                           | 4                          | 4               | 4                  | 4 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.





# CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**  
**File No: IN-C1013      Product: Water Efficient Products      Effective Date: October 2019      Void After: October 2020**

| Faucet Product                              |                 |            | Water Consumption (Lpm) |       |         |                    | 2017 WEP-<br>I Star<br>Rating | Green Points Rating System |                 |                    |   |
|---|-----------------|------------|-------------------------|-------|---------|--------------------|-------------------------------|----------------------------|-----------------|--------------------|---|
| Type  | Series          | Code       | Baseline                | Rated | Savings | IGBC               |                               | LEED                       |                 |                    |   |
|   |                 |            |                         |       |         | Homes <sup>1</sup> |                               | Factory Bldg <sup>2</sup>  | CS <sup>3</sup> | NC&MR <sup>4</sup> |   |
| FOUNTAIN PILLAR COCK                        |                 | F2013101CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN PILLAR COCK EXTENDED BODY          |                 | F2013102CH | 8.00                    | 3.2   | 4.80    | 60%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN SINGLE LEVER BASIN MIXER           |                 | F2013451CH | 8.00                    | 3.2   | 4.80    | 60%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN SL BASIN MIXER WITH<br>EXTD.HEIGHT |                 | F2013452CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN CENTRAL HOLE BASIN MIXER           |                 | F2013461CH | 8.00                    | 3.2   | 4.80    | 60%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN WALL MOUNTED S LEVER<br>BASINMIXER | CERA / FOUNTAIN | F2013471CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN BIB COCK SHORT BODY                |                 | F2013151CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN BATH TUB SPOUT                     |                 | F2013661CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN SINK COCK WALL MOUNTED             |                 | F2013251CH | 8.00                    | 3.2   | 4.80    | 60%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN SINK MIXER WALL MOUNTED            |                 | F2013501CH | 8.00                    | 3.2   | 4.80    | 60%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| FOUNTAIN WM WITH LONG BEND PIPE FOR<br>OHS  |                 | F2013401CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| Faucet Product                           |                |            | Water Consumption (Lpm) |       |         |     | 2017 WEP-<br>I Star<br>Rating | Green Points Rating System |                 |                    |   |
|--|----------------|------------|-------------------------|-------|---------|-----|-------------------------------|----------------------------|-----------------|--------------------|---|
|  |                |            |                         |       |         |     |                               | IGBC                       |                 | LEED               |   |
| Type                                     | Series         | Code       | Baseline                | Rated | Savings |     | Homes <sup>1</sup>            | Factory Bldg <sup>2</sup>  | CS <sup>3</sup> | NC&MR <sup>4</sup> |   |
| CHELSEA PILLAR COCK                      | CERA / CHELSEA | F1016101CH | 8.00                    | 3.2   | 4.80    | 60% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA PILLAR COCK EXTENDED BODY        |                | F1016102CH | 8.00                    | 3.3   | 4.70    | 59% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA BIB COCK SHORT BODY              |                | F1016151CH | 8.00                    | 3.2   | 4.80    | 60% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA SINK COCK WALL MOUNTED           |                | F1016251CH | 8.00                    | 3.3   | 4.70    | 59% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA WM WITH LONG BEND PIPE FOR OHS   |                | F1016401CH | 8.00                    | 3.3   | 4.70    | 59% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA SINGLE LEVER BASIN MEXER         |                | F1016451CH | 8.00                    | 3.3   | 4.70    | 59% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA SL BASIN MIXER WITH EXTD. HEIGHT |                | F1016452CH | 8.00                    | 3.2   | 4.80    | 60% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA WALL MOUNTED S LEVER BASIN MIXER |                | F1016471CH | 8.00                    | 3.2   | 4.80    | 60% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA SINK MIXER WALL MOUNTED          |                | F1016501CH | 8.00                    | 3.3   | 4.70    | 59% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA SL SINK MIXER TABLE MOUNTED      |                | F1016551CH | 8.00                    | 3.3   | 4.70    | 59% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| CHELSEA BATH TUB SPOUT                   |                | F1016661CH | 8.00                    | 3.3   | 4.70    | 59% | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.





# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| Faucet Product                           |                    |            | Water Consumption (Lpm) |       |         |                    | 2017 WEP-<br>1 Star<br>Rating | Green Points Rating System |                 |                    |   |
|--|--------------------|------------|-------------------------|-------|---------|--------------------|-------------------------------|----------------------------|-----------------|--------------------|---|
| Type                                     | Series             | Code       | Baseline                | Rated | Savings | IGBC               |                               | LEED                       |                 |                    |   |
|  |                    |            |                         |       |         | Homes <sup>1</sup> |                               | Factory Bldg <sup>2</sup>  | CS <sup>3</sup> | NC&MR <sup>4</sup> |   |
| BROOKLYN PILLAR COCK                     | CERA /<br>BROOKLYN | F1018101CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| BROOKLYN PILLAR COCK EXTENDED BODY       |                    | F1018102CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| BROOKLYN BIB COCK SHORT BODY             |                    | F1018151CH | 8.00                    | 3.2   | 4.80    | 60%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| BROOKLYN SINK COCK WALL MOUNTED          |                    | F1018251CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| BROOKLYN WM WITH LONG BEND PIPE FOR OHS  |                    | F1018401CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| BROOKLYN WM WITH LONG BEND PIPE FOR OHS  |                    | F1018402CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| BROOKLYN SINGLE LEVER BASIN MEXER        |                    | F1018451CH | 8.00                    | 3.2   | 4.80    | 60%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| BROOKLYN SL BASIN MIXER WITH EXTD.HEIGHT |                    | F1018452CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| BROOKLYN SINK MIXER WALL MOUNTED         |                    | F1018501CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |
| BROOKLYN BATH TUB SPOUT                  |                    | F1018661CH | 8.00                    | 3.3   | 4.70    | 59%                | ★ ★ ★                         | 4                          | 4               | 4                  | 4 |

1. IGBC Green Homes Rating System, Abridged Reference Guide, v 2.0, April 2012, WE Mandatory, Requirement 2, WE Credit 4
2. IGBC Green Factory Building Rating System, Abridged Reference Guide, July 2009 with August 2011 Addendum, WC Mandatory, Requirement 2, WC Credit 6
3. LEED 2009 for Core & Shell Development Rating System, WE, Prerequisite 1, WE Credit 3
4. LEED 2009 for New Construction and Major Renovations Rating System, WE, Prerequisite 1, WE Credit 3
5. LEED v4 for Building Design and Construction, Jan. 11, 2019

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**  
**File No: IN-C1013      Product: Water Efficient Products      Effective Date: October 2019      Void After: October 2020**

| <u>URINALS</u> |             | <u>Flush lpf (High/Low)</u> |                 | <u>Baseline Savings Lpf</u> |                   | <u>2017 WEP-I</u>  | <u>2019 WE-STAND India</u>        | <u>IGBC Green Rating System</u> |                                 | <u>LEED Green Rating System</u> |                              |
|----------------|-------------|-----------------------------|-----------------|-----------------------------|-------------------|--------------------|-----------------------------------|---------------------------------|---------------------------------|---------------------------------|------------------------------|
| <u>Model</u>   | <u>Bowl</u> | <u>Tank</u>                 | <u>Baseline</u> | <u>Rated</u>                | <u>(High/Low)</u> | <u>Star Rating</u> | <u>Effective Max. Flush (Lpf)</u> | <u>Homes<sup>1</sup></u>        | <u>Factory Bldg<sup>2</sup></u> | <u>CS<sup>3</sup></u>           | <u>NC&amp;MR<sup>4</sup></u> |
| CASEY          | S4020101    |                             | 3.8             | 0.75                        | 3.04 51%          | ★ ★ ★              | 0.75                              | Points: 4                       | Points: 4                       | Points: 4                       | Points: 4                    |
| CARVAN         | S4020105    |                             | 3.8             | 0.75                        | 3.04 51%          | ★ ★ ★              | 0.75                              | Points: 4                       | Points: 4                       | Points: 4                       | Points: 4                    |
| CALCIA         | S4020107    |                             | 3.8             | 0.75                        | 3.04 51%          | ★ ★ ★              | 0.75                              | Points: 4                       | Points: 4                       | Points: 4                       | Points: 4                    |
| CORE           | S4025101    |                             | 3.8             | 0.75                        | 3.04 51%          | ★ ★ ★              | 0.75                              | Points: 4                       | Points: 4                       | Points: 4                       | Points: 4                    |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| High Efficiency<br>EWC  | Flush Lpf (High/Low) |             | Baseline<br>Savings Lpf<br>(High/Low) | 2017<br>WEP-I<br>Star<br>Rating | 2019 WE-<br>STAND India<br>Effective Max.<br>Flush (Lpf) | IGBC<br>Green Rating System                               |   | LEED<br>Green Rating System                      |  |
|---|----------------------|-------------|---------------------------------------|---------------------------------|--|---|---|--|--|
|   | Baseline             | Rated       |                                       |                                 |  | Homes <sup>1</sup>  | Factory Bldg <sup>2</sup>                                 | CS <sup>3</sup>                                  | NC&MR <sup>4</sup>                               |
|   |                      |             |                                       |                                 |  |   |   |  |  |
| 2 PC<br>Closet Couple<br>Oval Bowl<br>A1044106<br>SAMBA WALL<br>HUNG EWC                | 6.0 / 3.0            | 3.67 / 2.28 | 2.33 / 0.72<br>39% / 24%              | ☆☆☆                             | 2.74   | WE Mandatory<br>Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory<br>Requirement 2<br>WC Credit 6<br>Points: 4 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 |
| B1110108 CERA-<br>SIAMP PLASTIC<br>TWIN FLUSH<br>CONCEALED<br>CISTERN                   | 6.0 / 3.0            | 5.67 / 3.28 | 0.33 / -0.28<br>6% / -9%              | ☆☆☆                             | 4.08   | WE Mandatory<br>Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory<br>Requirement 2<br>WC Credit 6<br>Points: 4 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 4 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 4 |
| 1 PC<br>Closet - couple,<br>Oval bowl<br>S1012135<br>CRUSE ONE<br>PSC EWC 'S'-<br>300MM | 6.0 / 3.0            | 3.60 / 2.55 | 2.40 / 0.45<br>40% / 15%              | ☆☆☆                             | 2.90   | WE Mandatory<br>Requirement 2<br>WE Credit 4<br>Points: 0 | WC Mandatory<br>Requirement 2<br>WC Credit 6<br>Points: 2 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 0 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 0 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| High Efficiency EWC   | Flush Lpf (High/Low) |             | Baseline Savings Lpf (High/Low) | 2017 WEP-I Star Rating | 2019 WE-STAND India Effective Max. Flush (Lpf) | IGBC Green Rating System                               |  | LEED Green Rating System                         |  |
|---|----------------------|-------------|---------------------------------|------------------------|--|--|--|--|--|
|   | Baseline             | Rated       |                                 |                        |  | Homes <sup>1</sup>                                     | Factory Bldg <sup>2</sup>                              | CS <sup>3</sup>                                  | NC&MR <sup>4</sup>                               |
| S1031111+B1020<br>105 CURTIS WALL HUNG WITH CURTIS TWIN FLUSH PLASTIC CISTERN | 6.0 / 3.0            | 4.00 / 2.75 | 2.00 / 0.25<br>33% / 8%         | ☆☆☆                    | 3.17   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 4 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 4 |
| 2 PC S1046101<br>CARAT EWC WALL HUNG WITH JET                                 | 6.0 / 3.0            | 3.66 / 1.53 | 2.34 / 1.47<br>39% / 49%        | ☆☆☆                    | 2.24   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 |
| 2 PC EWC S1046104<br>CAMPBELL EWC WALL HUNG MINI WITH JET                     | 6.0 / 3.0            | 3.67 / 2.28 | 2.33 / 0.72<br>39% / 24%        | ☆☆☆                    | 2.74   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| High Efficiency EWC   | Flush Lpf (High/Low) |             | Baseline Savings Lpf (High/Low) | 2017 WEP-I Star Rating | 2019 WE-STAND India Effective Max. Flush (Lpf) | IGBC Green Rating System                               |  | LEED Green Rating System                      |   |
|---|----------------------|-------------|---------------------------------|------------------------|--|--|--|---|---|
|   | Baseline             | Rated       |                                 |                        |  | Homes <sup>1</sup>                                     | Factory Bldg <sup>2</sup>                              | CS <sup>3</sup>                               | NC&MR <sup>4</sup>                            |
| S1031111+B1020<br>105 CURTIS WALL HUNG WITH CURTIS TWIN FLUSH PLASTIC CISTERN | 6.0 / 3.0            | 4.00 / 2.75 | 2.00 / 0.25<br>33% / 8%         | ☆☆☆                    | 3.17   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 4 |
| 2 PC S1046101<br>CARAT EWC WALL HUNG WITH JET                                 | 6.0 / 3.0            | 3.66 / 1.53 | 2.34 / 1.47<br>39% / 49%        | ☆☆☆                    | 2.24   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |
| 2 PC EWC S1046104<br>CAMPBELL EWC WALL HUNG MINI WITH JET                     | 6.0 / 3.0            | 3.67 / 2.28 | 2.33 / 0.72<br>39% / 24%        | ☆☆☆                    | 2.74   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.





# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| High Efficiency EWC   | Flush Lpf (High/Low) |           | Baseline Savings Lpf (High/Low) | 2017 WEP-I Star Rating | 2019 WE-STAND India Effective Max. Flush (Lpf) | IGBC Green Rating System                               |  | LEED Green Rating System                      |   |
|---|----------------------|-----------|---------------------------------|------------------------|--|--|--|---|---|
|   | Baseline             | Rated     |                                 |                        |  | Homes <sup>1</sup>                                     | Factory Bldg <sup>2</sup>                              | CS <sup>3</sup>                               | NC&MR <sup>4</sup>                            |
| 1 PC CLOSET-COUPLE<br>S1013113<br>CRISTY ONE PC EWC 'S' 300 MM    | 6.0 / 3.0            | 3.9 2.17  | 2.10 / 0.83<br>35% / 28%        | ☆☆☆                    | 2.75   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |
| 1 PC CLOSET COUPLE,<br>S1013114<br>CHARISHMA ONE PC EWC 'S'-100MM | 6.0 / 3.0            | 3.9 2.17  | 2.10 / 0.83<br>35% / 28%        | ☆☆☆                    | 2.75   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |
| 1 PC CLOSET COUPLE,<br>S1013128<br>CHISEL ONE PC EWC 'S' 285MM    | 6.0 / 3.0            | 3.86 2.17 | 2.14 / 0.83<br>36% / 28%        | ☆☆☆                    | 2.73   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.





# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| High Efficiency EWC                                      | Flush Lpf (High/Low) |           | Baseline Savings Lpf (High/Low) | 2017 WEP-I Star Rating | 2019 WE-STAND India Effective Max. Flush (Lpf) | IGBC Green Rating System                               |  | LEED Green Rating System                      |   |
|--|----------------------|-----------|---------------------------------|------------------------|--|--|--|---|---|
|  | Baseline             | Rated     |                                 |                        |  | Homes <sup>1</sup>                                     | Factory Bldg <sup>2</sup>                              | CS <sup>3</sup>                               | NC&MR <sup>4</sup>                            |
| 1 PC CLOSET COUPLE, S1013129 CHISEL ONE PC EWC 'S' 220MM | 6.0 / 3.0            | 3.88 2.17 | 2.12 / 0.83<br>35% / 28%        | ☆☆☆                    | 2.74   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |
| 1 PC CLOSET COUPLE, S1013140 CARR ONE PC EWC 'S' 300MM   | 6.0 / 3.0            | 3.88 2.17 | 2.12 / 0.83<br>35% / 28%        | ☆☆☆                    | 2.74   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |
| 1 PC CLOSET COUPLE, S1013141 CAM ONE PC EWC 'S' 250MM    | 6.0 / 3.0            | 3.88 2.17 | 2.12 / 0.83<br>35% / 28%        | ☆☆☆                    | 2.74   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**  
**File No: IN-C1013      Product: Water Efficient Products      Effective Date: October 2019      Void After: October 2020**

| High Efficiency EWC                                      | Flush Lpf (High/Low) |             | Baseline Savings Lpf (High/Low) | 2017 WEP-I Star Rating | 2019 WE-STAND India Effective Max. Flush (Lpf) | IGBC Green Rating System                               |  | LEED Green Rating System                         |  |
|--|----------------------|-------------|---------------------------------|------------------------|--|--|--|--|--|
|  | Baseline             | Rated       |                                 |                        |  | Homes <sup>1</sup>                                     | Factory Bldg <sup>2</sup>                              | CS <sup>3</sup>                                  | NC&MR <sup>4</sup>                               |
| 1 PC CLOSET COUPLE, S1013142 CAT ONE PC EWC 'S' - 300MM  | 6.0 / 3.0            | 3.53 / 2.53 | 2.47 / 0.47                     | ★★★                    | 2.86   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 |
| 1 PC CLOSET COUPLE, S1013149 CASINO ONE PC EWC 'S' 220MM | 6.0 / 3.0            | 3.9 / 2.17  | 2.10 / 0.83                     | ★★★                    | 2.75   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE<br>Prerequisite 1<br>WE Credit 3<br>Points: 3 |

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes & Standards India Pvt Ltd

#43, Above SBI, Beretena Agrahara, Near Hosa Road Junction, Hosur Main Road, Bangalore – 560 100 Karnataka INDIA



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: CERA SANITARY WARE LTD., #9, GIDC, Industrial Estate, Kadi – 382715, Mehsana, Gujrat, India**

**File No: IN-C1013**

**Product: Water Efficient Products**

**Effective Date: October 2019**

**Void After: October 2020**

| High Efficiency EWC  | Flush Lpf (High/Low) |          | Baseline Savings Lpf (High/Low) | 2017 WEP-I Star Rating | 2019 WE-STAND India Effective Max. Flush (Lpf) | IGBC Green Rating System                               |  | LEED Green Rating System                      |   |
|--|----------------------|----------|---------------------------------|------------------------|--|--|--|---|---|
|  | Baseline             | Rated    |                                 |                        |  | Homes <sup>1</sup>                                     | Factory Bldg <sup>2</sup>                              | CS <sup>3</sup>                               | NC&MR <sup>4</sup>                            |
| 1 PC CLOSET COUPLE, S1013152<br>CHAMP ONE PC EWC 'S'- 300MM  | 6.0 / 3.0            | 3.9 2.17 | 2.10 / 0.83<br>35% / 28%        | ★★★★                   | 2.75   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |
| 1 PC CLOSET COUPLE, S1013159<br>CARGO ONE PC EWC 'S'- 250 MM | 6.0 / 3.0            | 3.9 2.17 | 2.10 / 0.83<br>35% / 28%        | ★★★★                   | 2.75   | WE Mandatory Requirement 2<br>WE Credit 4<br>Points: 4 | WC Mandatory Requirement 2<br>WC Credit 6<br>Points: 4 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 | WE Prerequisite 1<br>WE Credit 3<br>Points: 3 |

1. IGBC Green Homes Rating System, Abridged Reference Guide, v 2.0, April 2012  
 2. IGBC Green Factory Building Rating System, Abridged Reference Guide, July 2009 with August 2011 Addendum  
 3. LEED 2009 for Core & Shell Development Rating System  
 4. LEED 2009 for New Construction and Major Renovations Rating System

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.