

Errata for 2021 Uniform Plumbing Code – 1st Printing

The following are changes that we found after the first printing of the 2021 Uniform Plumbing Code. These changes may apply to your code book. Thank you.

Chapter 4

Table 422.1 – revise column 4, row 1 on item (A-2) in Table 422.1 from 401-6000 to 401-600.

TABLE 422.1

MINIMUM PLUMBING FACILITIES¹

Each building shall be provided with sanitary facilities, including provisions for persons with disabilities as prescribed by the Department Having Jurisdiction. Table 422.1 applies to new buildings, additions to a building, and changes of occupancy or type in an existing building resulting in increased occupant load.

A-2 Assembly occupancy restaurants, pubs, lounges, nightclubs and banquet halls	Male 1: 1-50 2: 51-150 3: 151-300 4: 301-400	Female 1: 1-25 2: 26-50 3: 51-100 4: 101-200 6: 201-300 8: 301-400	Male 1: 1-200 2: 201-300 3: 301-400 4: 401-600	Male 1: 1-150 2: 151-200 3: 201-400	Female 1: 1-150 2: 151-200 4: 201-400	—	1: 1-250 2: 251-500 3: 501-750	1 service sink or laundry tray
	Over 400, add 1 fixture for each additional 250 males and 1 fixture for each 125 females.	Over 600, add 1 fixture for each additional 300 males.	Over 400, add 1 fixture for each additional 250 males and 1 fixture for each additional 200 females	Over 750, add 1 fixture for each additional 500 persons.				

(portion of table not shown remains unchanged)

7/16/2020