



**Summary of Substantive Changes  
between the 2009b<sup>e1</sup> and the 2014 editions of  
ASTM D2846 “Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-  
Water Distribution Systems”**

**Presented to the IAPMO Standards Review Committee on March 9, 2015**

**General:** The changes to this standard should not have an impact on currently listed products. The substantive changes are:

- Removed the referenced standard ASTM D1898, Practice for Sampling of Plastics (see Section 2.1)
- Revised the requirement for product sampling (see Section 9.1).

Section 2, Referenced Documents: Removed withdrawn standard ASTM D1898 as follows:

2.1 ASTM Standards:

*D1784 Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds*

~~*D1898 Practice for Sampling of Plastics (Withdrawn 1998)*~~

*D2122 Test Method for Determining Dimensions of Thermoplastic Pipe and Fittings*

Section 9, Test Methods for Pipe, Tubing, and Fittings: Revised the requirement for product sampling as follows:

*9.1 Sampling—A sufficient quantity of pipe, tubing, or fittings, as agreed upon between the purchaser and the seller, shall be selected at random from each lot or shipment and tested to determine conformance with this ~~(see Practice specification—D1898)~~. In the case of no prior agreement, random samples selected by the testing laboratory shall be deemed adequate.*